



2011

Product range





One brand for all garden lovers!

That is the motto for the 2011 garden season:

WOLF-Garten has an extensive range of products for everyone who feels at home in the garden - whether garden newcomers, hobby gardeners or ambitious professional gardeners. The high-quality requirements of our products, the independent and timeless design and the high level of user-friendliness has made the brand into one of the giants in the garden sector over the last few decades.

The company, now 80 years old, enjoys a high recognition value in the garden sector, and this is something you should make use of. Put your trust in the colours of »red and yellow«.

The trust will be rewarded, because WOLF-Garten has yet again achieved very good results in numerous product tests during the garden season of 2010 - a sales argument which makes any end-user happy.

Now, so that you can also extend your sales for the 2011 season, WOLF-Garten is offering an extensive range with numerous new products and innovative product lines.

All new products at a glance!

- The multi-star® product family has become larger - two new cleaning devices in addition to the winter range offer attractive additional sales.
- Cutting the easy way: the successful LI-ION POWER FINESSE range has been extended by the light FINESSE 30 R rechargeable shears.
- WOLF-Garten is making it big: 14 different ride-on mowers in various product ranges turn mowing the lawn into driving pleasure.
- Make it "BLUE"! WOLF-Garten launches the first lawn mower with environmentally-friendly BluePower technology onto the market.



Tested: 17 one-hand secateurs,
11 loppers



Tested: 17 one-hand secateurs,
11 loppers



Tested: 17 one-hand secateurs,
11 loppers



WOLF-Garten thoroughly tested!

Very impressive. WOLF-Garten products have also been tested very positively in numerous product tests during the previous season. Especially in times in which customers are unsettled by the wide variety of products in the garden sector, a test result acts as an extremely helpful sales support. Your customers' confidence and quality requirements in a brand product are of great importance. WOLF-Garten works continuously on optimisation, innovation and solutions for the wide range of application areas in the garden. The numerous test results confirm our demands and, of course, those of your customers. WOLF-Garten stands for quality which is "excellently awarded"!



multi-star® garden tools system
Category: garden tools system;
10 garden tools system in test



Battery-shears LI-ION POWER 100
Category:
Battery-shears;
12 tools in test



Petrol-mowers
Power Edition 46 BA
Category: Lawn-mowers;
7 lawn-mowers in test



4-7 Innovations

- 5 Cleaning tools, Snow pushers and ice removers
- 6 The new Lawn-mower range, Lawn tractor
- 7 BluePower-Technology

1

8-27 Garden tools & multi-star®

- 8-16 multi-star® garden tools
- 14 multi-star® cleaning tools
- 15-16 Mini-tools
- 17 multi-star® pond-care, Mini-tools-set
- 18-19 Tree care without a ladder, saws
- 20-21 Handles
- 22-23 Other handtools, Spades & Forks
- 24-25 Snow pushers and ice removers
- 26-27 Cultivators, Tillers

2

28-31 Gloves

- 30 Gardening gloves
- 31 Special gloves
- 31 Promotion- and Children gloves

3

32-44 Shears

- 34-35 Loppers
- 36 Motorised tree care
- 36-39 Secateurs
- 40-41 Hedge-shears, Shredders
- 42-44 Grass-shears, Battery-shears

4

45-71 Lawn-mowers

- 50-53 Electric, Petrol, Lawn tractor SELECT
- 54-57 Electric, Petrol, Lawn tractor AMBITION
- 58-63 Electric, Petrol, Lawn tractor BluePower
- 64-65 Optional Extras Lawn tractor
- 66-69 Specialist mowers
- 70-71 Battery-mowers, Reel-mowers

5

72-77 Lawn care

- 74-75 Electric- and Petrol-scarifiers
- 76-77 Trimmers, Brushcutters

6

78-91 Seeds & Fertilizer

- 80-82 Preparing a new lawn
- 82-85 Lawn regeneration
- 85-89 Lawn care
- 90-91 Spreaders, Garden irrigation, Garden cart

7

92-98 Optional extras, Spare parts & Promotion

- 93-94 Blades
- 94-95 Grass collectors, Scarifier blades, Battery-Packs
- 96 Trimmers, Brushcutters
- 97 Battery-shears
- 98 Promotion

8

- Cleaning tools
- Snow pushers, ice removers
- SELECT
- AMBITION
- BluePower



... New brooms sweep clean!

The angle broom and the Mosquito cleaner now supplement the WOLF-Garten range. Both new products promise excellent additional sales. The **angle broom (BW 25 M)** is blowing a fresh breeze into the multi-star® training program. Remove spiders webs and dust at any height up to 5.20 m practically and easily - this is now possible using the angle broom and the appropriate Vario hand grip. Also ideal for cleaning gutters. The angle broom can also be used as a hand brush for the table with its practical handgrip.

New: WOLF-Garten is launching a car care cleaning product on the market. The **WOLF-Garten Mosquito cleaner** cleans car windscreens in a jiffy. An extension hand grip is also available for larger vehicles. This makes it possible to clean the vehicle windscreen from the ground whilst retaining an ergonomically comfortable body posture.

In 2011, WOLF-Garten is putting the emphasis on cleanliness!



1

NEW



... WOLF-Garten now also available in winter!

Why not? Put the emphasis on the new WOLF-Garten winter range in the low-sales garden sector winter period - matching the multi-star® "Click" system.

People who have the "red and yellow" in their garden shed won't want to do without WOLF-Garten products in winter. Now there is a compact winter range so that your customers are equipped for snow-covered, icy paths and frozen windscreens.

WOLF-Garten can now offer you two eye-catching displays for optimum placing in the checkout area. Set your winter range out to suit your individual requirements and select the most appropriate display!



Display stand (US-P 280)



A strong trio:
WOLF-Garten snow pusher

... Winter range details at a glance



Light, stable plastic snow pusher with 2 stepping edges



Ice scraper with silicon bead for moist wind-screens

5



Your lawn-mower team for the 2011 season

A team worth looking at!
The new lawn-mower range from WOLF-Garten will increase any dealer's pulse. Whether for gardening newcomers, hobby gardeners or ambitious garden professionals, this extensive range has something for every lawn-mower fan.

WOLF-Garten is permanently oriented to the end user's requirements and requests when developing its ranges. For this reason, we have managed to put together a range which serves all three small, medium-sized and professional lawns for the 2011 garden season. This team will push your sales up single-handed.



The big boys are coming...

WOLF-Garten is sitting up - on the big lawn tractors. Mowing the lawn can be that simple. Just take a seat off you go. This is what the WOLF-Garten developers were obviously thinking while they designed the 14 new models in the three product ranges. The numerous extra fittings are extremely comfortable for the user and make lawn mowing as simple as it can possibly be. Mowing the lawn becomes a real pleasure.

The new lawn tractor range is really worth looking at. Your customers will be able to make a flexible choice from the five varying cutting widths of 76 cm, 92 cm, 96 cm, 105 cm to 107 cm depending on their lawn requirements.

The new lawn tractor is available with rear or side discharge in every product line. You can find more information about the product fittings from page 48 onwards.



NEW



1

SELECT



AMBITION



BLUE POWER®



POWER EDITION



LI-ION POWER

BLUE POWER®

TECHNOLOGIE PRO NATUR



NEW

Environmentally-friendly mowing



Innovation is our strength. With the market launch of the BluePower product line, we are once again setting a benchmark which has a considerable signal effect - for our customers, the sector and far beyond. BluePower products follow one credo from their manufacture, through utilisation up to recycling.

Technology pro nature

BluePower gives our customers the pleasant feeling of having knowingly made the right decision. For nature, the newest technology and sustainability. The same passion which moves every garden lover has driven us to develop the BluePower products. The love of nature!

You will be serving a lucrative and growing market with the BluePower series. 98% of end users* are interested in environmentally-acceptable garden care products. Leading companies such as Mercedes, Volkswagen, Samsung, Siemens etc have already successfully launched Blue products on the market. Wolf Garden is continuing this trend in garden care. You'll be gaining a new and high-consuming target group with BluePower. LOHAS (Lifestyle of Health and Sustainability)*¹ promotes health in addition to economic and ecological sustainability through conscious product selection.



*WOLF-Garten market research, February 2010; *1 * LOHAS is an acronym for "Lifestyle of Health and Sustainability". It stands for a lifestyle or type of consumer who wishes to promote health and sustainability through his consumer behaviour and targeted product selection. LOHAS consumers are, for example, nature and outdoor holidaymakers, customers who shop at organic shops or organic supermarkets. Their motives are similar to that of the slow-food movement, and they strictly reject the "cheap is cool" mentality. *2 According to manufacturer's information.



Exhaust gases reduced by up to 38%



Low-noise OHV engine technology



50 % less power consumption at the same emission levels

- Garden tools & handles
- Tree care, Saws
- Other handtools
- Mini-Gardening-Sets
- Pond care
- Snow pusher and Ice scraper
- Cultivators & Tillers



... When you hear that "click" ...

... that's when your customers have decided to buy the flexible and extensive multi-star® tool system from WOLF-Garten. It's a good choice, because having the right garden tools ready to hand is just as important as having good soil, which is a basic requirement for healthy growth.

The extensive multi-star® system now also offers practical aids for cleaning, flowerbed and balcony care or "tree care without ladders" in addition for garden tools for working the soil.

For over 30 years now WOLF-Garten engineers have been working in the development of the tailor-made multi-star® system products towards the requirements of their customers for healthy and effective gardening. The tool system with the patented click connection, with more than 80 different tool heads, offers maximum flexibility, quality and professionalism. Put your trust in the extensive tool system - your customers will thank you for it!



2

... Distinguished garden tools system!


The WOLF-Garten multi-star® garden tools system has been winning the »Praxis«-competition of »Selbst ist der Mann« – for its simple handling, ergonomics and functionality.



Category: garden tools system;
10 garden tools system in test



... Additions to the team - two new introductions for the 2011 season!



For endless cleanliness!

Spiders webs in dust in high corners are difficult to reach and difficult to clean. WOLF-Garten has the solution:

The new **multi-star® angle broom** gives both you and your customers the simple facility for cleaning house and room corners from the floor without effort. Spiders webs and dust in high corners stand no chance at all with the matching Vario system hand grip (work at up to 5.20 m depending on room height) and the variably adjustable working angle.

For a clear perspective!

In the 2011 season, WOLF-Garten is emphasising cleanliness. For the first time, there is now a car windscreen product in the hand tools segment.



The **WOLF-Garten Mosquito cleaner** cleans car windscreens in a jiffy. A water tank ensures targeted surface wetting of the windscreen. The special cleaning pad removes dirt and flies without attacking the glass surface, and can be replaced very simply with its Velcro attachment. There is an extension hand grip available optionally for higher windscreens such as on mobile homes or transport vehicles. This makes it possible to clean the vehicle windscreen from the ground whilst retaining an ergonomically comfortable body posture.

NEW

... 100% guarantee!

10-year guarantee on the WOLF-Garten multi-star® range of tools.

It speaks for itself. A selling point your customers will love. Numerous research findings have shown time and again that WOLF-Garten focuses on quality and innovation. So it virtually goes without saying that WOLF-Garten provides a 10-year* guarantee for its multi-star® tools.

*On multi-star®, multi-star® Mini, multi-star® tree care, other handtools, manual shears (loppers, sécateurs, hedge-shears, grass-shears) apart from wearing parts.



9



GARDEN TOOLS multi-star®

2

multi-star® Garden tools					
					
Order-Code	BA-M Grubber	BE-M Cultivator	iE-M Cultiweeder	Bi-M Aerator	BO-M Cultivator
Barcode	 4 009269 110006	 4 009269 111003	 4 009269 138000	 4 009269 112000	 4 009269 113007
Article-No.	1315 000	1332 000	2515 000	1345 000	1355 000
Packaging unit	5	5	4	5	5
Dimensions	W: 9 cm	W: 11 cm	W: 10 cm	W: 3,5 cm	W: 15 cm
Recommended handle	ZM 140	ZM 140	ZM 140	ZM 140	ZM 150
Description	• For breaking up hard and stony ground, allowing good nutrient distribution • Durable zinc chrome plate and lacquer finish	• Lance shaped prongs break up medium soils for good nutrient distribution • Durable zinc chrome plate and lacquer finish	• Lance shaped prongs break up and loosen soil • Sharp blade on reverse side for weeding • Extra hardened steel for durability	• Loosen soil with ease in confined spaces, for optimum nutrient distribution • Extra hardened with lacquer finish	• Extra hardened 'arrowhead' prongs break up and lift most soil types • Durable zinc chrome plate and lacquer finish
multi-star® Garden tools					
					
Order-Code	DA-S Crumbler	DK-M Combi Crumbler	EA-M Seed sower	EC-M Seed master	DO-M 40 Bow rake
Barcode	 4 009269 117203	 4 009269 117708	 4 009269 181402	 4 009269 130004	 4 009269 120609
Article-No.	1616 000	1619 000	1814 000	1816 000	1648 000
Packaging unit	3	2	5	5	5
Dimensions	W: 15 cm	W: 27 cm			W: 40 cm
Recommended handle	ZM 170	ZM 170	ZM 140	ZM 140	ZM 170
Description	• Two in one. Crumbles soil into a fine tilth for planting • Mixes peat or fertilizer into the soil. Rear blade ensures a constant depth	• Double function tool: For uniform blending of fertilizer, seeds, compost etc, and fine crumbling of seed beds	• Save time and effort by sowing seeds uniformly in rows without bending • 6 adjustable seed size settings (up to pea size)	• Save time by sowing seeds in 3 rows without bending • Uniform distance for optimum growth of plants	• Clean large beds and level them with the flat top • Solid, high-quality steel for extra stability


multi-star® Garden tools 					
Order-Code	DR-M 25 Soil Rake	DR-M 30 Soil Rake	DR-M 35 Soil Rake	DS-M 19 Small rake	DH-M Dutch Hoe
Barcode	 4 009269 121200	 4 009269 121408	 4 009269 121606	 4 009269 122900	 4 009269 234825
Article-No.	1656 000	1657 000	1658 000	1665 000	2348 002
Packaging unit	5	5	5	5	5
Dimensions	W: 25 cm	W: 30 cm	W: 35 cm	W: 19 cm	W: 13 cm
Recommended handle	ZM 170	ZM 170	ZM 170	ZM 140	ZM 150
Description	• Rake with curved teeth which are easily pulled through soil and gravel • High-quality steel for extra stability	• Rake with curved teeth which are easily pulled through soil and gravel • High-quality steel for extra stability	• Rake with curved teeth which are easily pulled through soil and gravel • High-quality steel for extra stability	• Rake with curved teeth which are easily pulled through soil and gravel • Durable zinc chrome plate and lacquer finish	• Traditional 'Push action' weeder • Heavy-duty blade with extra sharpened leading edge
multi-star® Garden tools 					
Order-Code	GS-M 14 Scuffle Hoe	GS-M 16 Scuffle Hoe	HO-M 15 Bow Weeder	HU-M 10 Small Draw Hoe	HU-M 15 Floral Hoe
Barcode	 4 009269 133401	 4 009269 133609	 4 009269 134507	 4 009269 135009	 4 009269 135504
Article-No.	2147 000	2148 000	2352 000	2356 000	2358 000
Packaging unit	5	5	5	5	5
Dimensions	W: 14 cm	W: 16 cm	W: 15 cm	W: 10 cm	W: 15 cm
Recommended handle	ZM 150	ZM 150	ZM 150	ZM 150	ZM 150
Description	• Hoe for weeding and loosening soil with 'push-pull' action • Extra hardened, sharp ground edges	• Hoe for weeding and loosening soil with 'push-pull' action • Extra hardened, sharp ground edges	• General purpose garden hoe • Extra sharp changeable blade quickly and effectively severs weeds from their roots	• Hoe for weeding and hoeing in small or confined areas • Strong swan-neck arm with extra sharp changeable blade	• Weeding tool especially suitable for accurate work between flowers • Extra sharp changeable blade



GARDEN TOOLS multi-star®

2

multi-star® Garden tools					
					
Order-Code	HW-M 15 Draw Hoe	GY-M Pendulum weeder	RF-M Push-Pull Weeder	RF-M 10 Push-Pull Weeder	iL-M 3 Double Hoe
Barcode	 4 009269 136501	 4 009269 134002	 4 009269 138208	 4 009269 323123	 4 009269 139403
Article-No.	2345 000	2164 000	3226 000	3221 002	3132 000
Packaging unit	5	5	5	5	5
Dimensions	W: 15 cm	W: 15 cm	W: 15 cm	W: 10 cm	W: 8 cm
Recommended handle	ZM 150	ZM 150	ZM 150	ZM 150	ZM 150
Description	• Cut deep weeds with ease and loosen up the soil simultaneously • Extra sharp changeable blade	• Double sided 'pendulum action' blade for weeding and to loosen even the hardest soils • Extra hardened for durability	• Self-sharpening blade works back and forth below soil, cutting through weeds • Extra hardened blades	• Self-sharpening blade works back and forth below soil, cutting through weeds • Extra hardened blades	• Sharp prongs to break up heavy soil. Sharpened blade for weeding • Durable zinc chrome plate and lacquer finish
multi-star® Garden tools					
					
Order-Code	iM-M Double Hoe	UF-M Tine Rake	UC-M Adjustable rake	UE-M Tine rake	Ui-M Leaf Rake
Barcode	 4 009269 139601	 4 009269 154604	 4 009269 155007	 4 009269 154406	 4 009269 156004
Article-No.	3142 000	3536 000	3524 000	3535 000	3554 000
Packaging unit	5	5	5	5	5
Dimensions	W: 7 cm	W: 50 cm	W: 36 - 58 cm	W: 50 cm	W: 42 cm
Recommended handle	ZM 150	ZM 140	ZM 140	ZM 140	ZM 140
Description	• Loosens up all soil types with ease • Sharp prongs to break up heavy soil • Durable zinc chrome plate and lacquer finish	• For use on hard surfaces such as patios, paths, drives etc, and for sweeping lawn surfaces • Flexible spring-steel tines	• Clean large or narrow areas – simply adjust broom • Adjustable flexible spring-steel tines	• For use on hard surfaces such as patios, paths, drives etc, and for sweeping lawn surfaces • Flexible spring-steel tines	• For gathering leaves, grass clippings and debris from lawns • Ideal for use on hard ground, patios and paths


multi-star® Garden tools					
					
Order-Code	UH-M 60 Longspan Rake	UG-M 3 Scarifying Rake	UR-M 3 Scarifying Roller Rake		
Barcode	 4 009269 156400	 4 009269 157704	 4 009269 158206		
Article-No.	3565 000	3549 000	3547 000		
Packaging unit	3	4	3		
Dimensions	W: 58 cm	W: 30 cm	W: 30 cm		
Recommended handle	ZM 170	ZM 170	ZM 170		
Description	• Extra wide rake for collecting large quantities of clippings • Specially designed tines which glide over the lawn	• Clears lawns of moss and thatch • Spring-steel blades on fixed blade bar • Blade bar with pendulum action for effortless working	• Convenient aerator with pendulum movement of working head during use • Special hardened blades require no resharpening. • Easy roll wheels		
multi-star® Garden tools					
					
Order-Code	iW-M Weed Extractor	KS-M Weed extractor	RB-M Lawn edger	RM-M Lawn-Edge Iron	
Barcode	 4 009269 255301	 4 009269 255400	 4 009269 151009	 4 009269 151207	
Article-No.	2553 000	2554 000	3323 000	3312 000	
Packaging unit	5	10	3	5	
Dimensions	W: 4 cm	Wide step edge: 17 cm		W: 22,5 cm	
Recommended handle	ZM-AD	ZM-AD	ZM 140	ZM-AD	
Description	• For all deep rooted weeds. Push into ground, twist and pull out – removes weed and root with ease – without stooping	• Protects your back while cutting and removing deep-rooting weeds such as dandelions • Footboard for comfort in work	• Trims grass that over-hangs edges of borders precisely • Roller is easily pushed in an upright position	• Cuts turf to create a neat lawn edge. • Rolled boot edge for comfort • Extra hardened blade stays sharp in use	



GARDEN TOOLS multi-star® Cleaning tools, Mini-tools

2

multi-star® cleaning tools					
Order-Code	B 30 M Street brush	B 40 M Street brush	BF 40 M House Brush	BS 40 M Decking Brush	BW 45 M Squeegee
Barcode	 4 009269 158503	 4 009269 158510	 4 009269 158565	 4 009269 158572	 4 009269 158527
Article-No.	3902 000	3904 000	3905 000	3906 000	3903 000
Packaging unit	5	5	5	5	5
Dimensions	W: 31 cm	W: 37 cm	W: 40 cm	W: 37 cm	W: 40 cm
Recommended handle	ZM 140	ZM 140	ZM 140	ZM 150	ZM 150
Description	• For general use around house and garden • Stiff bristles are durable and weatherproof	• For general use around house and garden • Stiff bristles are durable and weatherproof	• Ideal for sweeping fine dust indoors and on terraces • Natural horsehair / Flexon® mix ristles for efficiency	• Broad scrubbing brush for loosening debris on terraces and patios • Short 'Elastoflex' bristles are especially hard wearing	• For use on smooth surfaces to loosen debris and clear away water • Tough bristled brush plus foam lips on reverse
multi-star® cleaning tools					
Order-Code	FW-M Window Squeegee	EW-M Window Wiper	BK-M Dustpan	B 25 M Flexi Broom	BW 25 M NEW Angle Broom
Barcode	 4 009269 390705	 4 009269 390804	 4 009269 391207	 4 009269 390903	 4 009269 391702
Article-No.	3907 000	3908 000	3912 000	3909 000	3917 000
Packaging unit	5	5	5	5	5
Dimensions	W: 35 cm	W: 35 cm	W: 25 cm	W: 25 cm	W: 25 cm
Recommended handle	Incl. ZM 02 all multi-star® handles	all multi-star® handles	Incl. ZM 02 ZM-A 140/150	ZM 140 ZM-A 140	all multi-star® vario-handles
Description	• Ideal for working in hard-to-reach places thanks to the adjustable working angle • With Vario handle for using up to 5.30 m high	• With adjustable working angle and removable, washable mop • With Vario handle for using up to 5.30 m high	• Continuously adjustable thanks to the built-in articulated mechanism – for all applications with handle and extension handle	• Handy brush with long and elastical bristles for cleaning stairs and flagstone paths	• The adjustable working angle guarantees cleaning areas which are out of reach • Also usable for cleaning rain drains


multi-star® Mini tools					
					
Order-Code	LA-M Mini Cultivator	LA-M/ZM 30 Mini Cultivator	LB-M Cultiweeder	LB-M/ZM 30 Cultiweeder	LC-M Small Sweep
Barcode	 4 009269 171007	 4 009269 171069	 4 009269 171502	 4 009269 171564	 4 009269 173001
Article-No.	2943 000	2943 006	2953 000	2953 006	2724 000
Packaging unit	5	5	5	5	5
Recommended handle	ZM 02 ZM 30 ZM 04	Incl. ZM 30	ZM 02 ZM 30 ZM 04	Incl. ZM 30	ZM 02 ZM 30 ZM 04
Description	• Sharp prongs loosen up small beds for optimum nutrient distribution • Durable zinc chrome plate and lacquer finish		• Loosen up small beds • Sharp blade slices through weeds • Durable zinc chrome plate and lacquer finish		• For sweeping up debris and loosening soil in confined areas • Strong spring-steel tines will not bend in use
multi-star® Mini tools					
					
Order-Code	LC-M/ZM 30 Mini Wire Broom	LD-M Small Fan Rake	LD-M/ZM 30 Small Fan Rake	LF-M Small Crumbler	LF-M/ZM 30 Small Crumbler
Barcode	 4 009269 173063	 4 009269 173506	 4 009269 173568	 4 009269 174008	 4 009269 174060
Article-No.	2724 006	2725 000	2725 006	2973 000	2973 006
Packaging unit	5	5	5	5	5
Recommended handle	Incl. ZM 30	ZM 02 ZM 30 ZM 04	Incl. ZM 30	ZM 02 ZM 30 ZM 04	Incl. ZM 30
Description	• For sweeping and loosening soil in confined areas • Strong spring-steel tines	• Sweep confined areas with ease • Flat tines are made of flexible hardened spring steel which will not bend in use		• Breaks up heavy compacted soil • Useful in small beds and confined spaces • Durable zinc chrome plate and lacquer finish	



GARDEN TOOLS multi-star® Mini-tools, Garden tools, Pond care

2

multi-star® Mini tools					
					
Order-Code	LJ-M Small Rake	LJ-M/ZM 30 Small Rake	LL-M Double Hoe	LL-M/ZM 30 Double Hoe	LN-M Mini Hoe
Barcode	 4 009269 174503	 4 009269 174565	 4 009269 176606	 4 009269 176668	 4 009269 176408
Article-No.	2993 000	2993 006	3003 000	3003 006	3023 000
Packaging unit	5	5	5	5	5
Recommended handle	ZM 02 ZM 30 ZM 04	Inkl. ZM 30	ZM 02 ZM 30 ZM 04	Inkl. ZM 30	ZM 02 ZM 30 ZM 04
Description	• For easy weeding and aerating. • Useful in small beds and confined spaces • Durable zinc chrome plate and lacquer finish		• Small blade for making seed drills • Twin prongs break up heavy soil • Durable zinc chrome plate and lacquer finish		• Ideal for weeding and breaking up soil. Broad, sharp blade with 3 tines • Durable zinc chrome plate and lacquer finish
multi-star® Mini tools					
					
Order-Code	LN-M/ZM 30 Mini Hoe	FK-M Garden Scraper	FB-M Joint brush	LU-GM Hand Fork	LU-SM Hand Trowel
Barcode	 4 009269 176460	 4 009269 131001	 4 009269 273107	 4 009269 290821	 4 009269 290623
Article-No.	3023 006	2730 000	2731 000	2908 002	2906 002
Packaging unit	5	5	10	5	5
Dimensions				W: 7,5 cm	W: 8 cm
Recommended handle	Incl. ZM 30	all multi-star® handles	ZM 150	all multi-star® handles	all multi-star® handles
Description	• For weeding, loosening and breaking up soil • Broad, sharp blade with 3 tines	• For removing weeds and moss from joints in paving etc. • Extra hardened steel for durability	• Easy-on-your-back removal of grass, moss and weeds from flagstone joints, corners of walls, joints between steps, gutters etc.	• For transplanting • Heavy duty, robust design with four extra strong tines • Durable zinc chrome plate and lacquer finish	• For planting and transplanting • Strong, heavy duty design • Durable zinc chrome plate and lacquer finish

multi-star® pond care					
					
Order-Code	UM-M Tool Holder	WK-M Pond Net	WF-M Catching Net		
Barcode	 4 009269 161602	 4 009269 153126	 4 009269 153119		
Article-No.	3715 000	5701 000	5700 000		
Packaging unit	5	5	5		
Dimensions	W: 80 cm	L: 35 cm, W: 30 cm	L: 35 cm, W: 30 cm		
Recommended handle		all multi-star® Aluminium- and vario-handles	all multi-star® Aluminium- and vario-handles		
Description	• Including 4 tool holders for perfect and space-saving tool storage in cellars, garages and summer houses.	• Fine mesh net for cleaning ponds of fine leaves and small weeds with ease. • With Vario handle up to 4 metre range.	• Catching fish or removing foliage and dirt from ponds. • The flexible plastic edge protects the fish and pond liner.		
multi-star® Mini-Sets					
					
Order-Code	Mosquito cleaner NEW	Extension hand grip NEW	P 224 multi-star® Mini-Set	P 243 multi-star® Mini-Set	P 435 multi-star® Mini-Set
Barcode	 4 009269 391306	 4 009269 391399	 4 009269 375054	 4 009269 375030	 4 009269 375221
Article-No.	3913 000	3913 090	3732 624	3732 643	3733 635
Packaging unit	5	5	5	5	5
Dimensions	W: 14 cm	L: 90 cm			
Contents			Mini garden rake, Mini garden broom, Mini cultivator, Mini tool handle	Trowel, Mini cultivator, Mini garden broom, Mini hoe, Mini tool handle	Mini cultivator, Mini garden broom, Mini garden rake, Mini tool handle, Bypass secateurs
Description	• Window cleaning, especially for cars and mobile homes • Incl. 150 ml watertank • Optionally available extension hand grip • Pad with Velcro attachment for simple replacement	• Extension hand grip to fit the Mosquito cleaner for cleaning windows on higher vehicle windscreens	• Care set for balcony and terrace • Content: 1 multi-star® Mini tool handle and 3 tools	• Set for all minor works on balcony, terrace and in flower beds. For planting, breaking up heavy soil and cleaning	• Care set for balcony and terrace • Pruning with bypass secateurs



GARDEN TOOLS multi-star® Tree care, Saws

2

multi-star® tree care					
Order-Code	RC-M Tree Lopper	Secateurs set Tree Lopper + Handle	Secateurs set Tree Lopper + Handle + Cord Tidy	RC-VM Tree Lopper	RR-VM Professional Tree Lopper
Barcode	 4 009269 152006	 4 009269 374934	 4 009269 374507	 4 009269 720038	 4 009269 720403
Article-No.	7201 000	7201 083	7201 081	7200 000	7204 000
Packaging unit	3	6	6	3	3
Recommended handle	ZM-V 3/ZM-V 4/ ZM-V 200	Inkl. ZM-V 3	Inkl. ZM-V 3	ZM-V 3/ZM-V 4/ ZM-V 200	ZM-V 3/ZM-V 4/ ZM-V 200
Description	• Thanks to the telescopic handle branches can be cut safely without ladders up to 5.50 m high • Over 50% energy saving through the 3,5 times pulley system and the WOLF non-stick coating				
multi-star® tree care					
Order-Code	ZS-M Cord Tidy	RG-M Fruit Picker	Harvest set Fruit Picker + Handle	RT-M Branch Hook	
Barcode	 4 009269 394604	 4 009269 153300	 4 009269 374835	 4 009269 153201	
Article-No.	3946 000	7242 000	7242 080	7245 000	
Packaging unit	3	5	6	5	
Recommended handle	ZM-V 3/ZM-V 4/ ZM-V 200	ZM-V 3/ZM-V 4/ ZM-V 200	Inkl. ZM-V 3	ZM-V 3/ZM-V 4/ ZM-V 200	
Description	• For easier cord control and more comfortable working, especially for RC-VM, RR-VM, RC-M • Harvest your fruit with care and without bruising – the soft, rounded collecting basket and the cutting blade make picking easier • Harvest your fruit with care and without bruising – the soft, rounded collecting basket and the cutting blade make picking easier • Contents: 6 x RG-M/ZM-V 3 • The effortless way to remove cut branches from trees • Particularly suitable for both shaking and propping fruit trees				

multi-star® saws							
Order-Code	RE-M Shark Saw	Tree care set Shark Saw + Handle	RE-PM Professional Shark Saw	Tree care set Shark Saw + Handle	RE-VM Bow Saw		
Barcode	 4 009269 152426	 4 009269 374002	 4 009269 152433	 4 009269 374811	 4 009269 723305		
Article-No.	7231 003	7231 080	7232 003	7232 080	7233 000		
Packaging unit	5	6	5	6	5		
Recommended handle	Incl. ZM 02 ZM-V 3/ZM-V 4	Incl. ZM-V 3	Incl. ZM 02 ZM-V 3/ZM-V 4	Incl. ZM-V 4	ZM-V 3/ZM-V 4		
Description	•Extremely smooth cut to prevent bacterial invasion and rot. •With vario handle for using up to 5.30 m high	•multi-star® shark saw + vario handle •Contents: 6 x RE-M/ZM-V 3	•Extremely smooth cut to prevent bacterial invasion •With bark cutter to prevent bark from splitting •Double hardened teeth	•multi-star® Professional shark saw + vario handle •Contents: 6 x RE-PM/ZM-V 4	•Saw blade can rotate 360° to reach even the most inaccessible branches •Can also be used as a handsaw		
Saws							
Order-Code	RE-FK Hand Saw with Sheath	RE-K Folding Saw					
Barcode	 4 009269 728102	 4 009269 728201					
Article-No.	7281 000	7282 000					
Packaging unit	3	5					
Description	•With sheath for secure handling and storage •Extremely smooth cut to prevent bacterial invasion and rot	•With sheath for secure handling and storage •Extremely smooth cut to prevent bacterial invasion and rot					



GARDEN TOOLS multi-star® Handles

2

multi-star® handles					
					
Order-Code	ZM 02 Saws Handle	ZM 30 Mini Tool Handle	ZM 04 Small Aluminium Handle		
Barcode	 4 009269 394307	 4 009269 394734	 4 009269 394482		
Article-No.	3943 020	3947 030	3944 840		
Packaging unit	10	10	5		
Dimensions	L: 15 cm	L: 25 cm	L: 35 cm		
Description	• Especially for use with the pruning saws RE-M, RE-PM and for all multi-star® Mini tools	• Highly attractive small-tool handle for all multi-star® mini tools • Optimally adapted to handshape	• Light aluminum short handle • For all multi-star® mini-tools		


multi-star® handles					
					
Order-Code	ZMi 12 Aluminium Handle	ZMi 15 Aluminium Handle	ZM-A 140 Aluminium Handle	ZM-A 150 Aluminium Handle	
Barcode	 4 009269 393805	 4 009269 393829	 4 009269 394420	 4 009269 394215	
Article-No.	3938 000	3938 020	3944 143	3942 155	
Packaging unit	10	10	10	10	
Dimensions	L: 118 cm	L: 144 cm	L: 140 cm	L: 150 cm	
Description	• Fits all multi-star® tool heads • Made from light-weight high-quality aluminium	• Fits all multi-star® tool heads • Made from light-weight high-quality aluminium	• High-quality, light aluminum handle for all multi-star® tools		

multi-star® handles					
					
Order-Code	ZM 140 Hardwood Handle	ZM 150 Hardwood Handle	ZM 170 Hardwood Handle		
Barcode	 4 009269 394413	 4 009269 394437	 4 009269 394468		
Article-No.	3944 142	3944 154	3944 175		
Packaging unit	10	10	10		
Dimensions	L: 140 cm	L: 150 cm	L: 170 cm		
Description	• High-quality wooden handle made of natural European ash – extremely solid and stable • Open-pored, natural, water-based finish ensures optimal grip • Waisted handle area for comfortable and safe handling • For the multi-star® tools				
multi-star® handles					
					
Order-Code	ZM-AD Aluminium D-Grip Handle	ZM-V 200 Vario-Handle	ZM-V 3 Vario Handle	ZM-V 4 Vario Handle	
Barcode	 4 009269 166003	 4 009269 394383	 4 009269 396004	 4 009269 397001	
Article-No.	3943 062	3943 800	3943 600	3943 700	
Packaging unit	5	6	6	6	
Dimensions	L: 85 cm	L: 115 - 200 cm	L: 170 - 300 cm	L: 220 - 400 cm	
Description	• Makes handling of multi-star® tools easier which work in pushing mode • Made of light-weight, strong aluminium			• Strong but lightweight aluminium handle, with PVC-sleeve • Adjustable in length • Can especially be used for all multi-star® tree and pond care equipment.	



GARDEN TOOLS Other handtools, spades & forks

2



Other handtools 	 category: gardening technology 2008	 category : garden tools; 14 tools in test	 category : garden tools; 14 tools in test	 category : garden tools; 14 tools in test	 category : garden tools; 14 tools in test	
	Order-Code	KA-2K Hand Grubber	KF-2K Scraper	KS-2K Weeding-/Planting Knife	LN-2K Double Hoe	LD-2K Small Sweep
	Barcode	 4 009269 271400	 4 009269 272902	 4 009269 277105	 4 009269 302203	 4 009269 272223
	Article-No.	2714 000	2729 000	2771 000	3022 000	2722 000
	Packaging unit	5	5	5	5	5
	Dimensions	W: 7 cm			W: 7 cm	W: 11,5 cm
Description	• Root protective loosening and aerating in rock gardens, beds, balcony boxes • Comfort zone at grip supports the pulling movement	• One-hand scraper for removing moss and weed in slab gaps, quoins, etc. • Higher gripping reliability thanks to control zone at grip	• Cutting out weed even in heavy soils • Supported by power zone at grip end, no tender spots	• »2 in 1« - practical double tool • Weeding and heaping up with hoeing and heaping blade; Loosening with 3 sharp tines. Comfort zone at grip supports hoeing movement	• Cleaning up covered areas • Applicable in the smallest bed layouts, on balcony and terrace. Comfort zone at grip supports pulling movement	
Other handtools 	 category : garden tools; 14 tools in test	 category : garden tools; 14 tools in test	 category : garden tools; 14 tools in test			
	Order-Code	LU-2K Flower Trowel	LU-2P Planting Trowel	LU-2B Flower Fork	FH-N »Automatic«Bulb Planter	LU Flower Trowel
	Barcode	 4 009269 291507	 4 009269 291620	 4 009269 292108	 4 009269 232203	 4 009269 277204
	Article-No.	2915 000	2916 000	2921 000	1967 000	2911 000
	Packaging unit	5	5	5	10	20
	Dimensions	W: 7 cm	W: 5 cm	W: 7,5 cm		W: 8 cm
Description	• Planting and replanting even in heavy soils • No blisters at fingers thanks to protection zone at grip	• Planting and replanting even in heavy soils • Like LU-2K, but smaller version. • No blisters at fingers thanks to protection zone at grip	• Root-protective planting and transplanting due to the small, pointed tines • Strong steel tines • No blisters at fingers thanks to protection zone at grip	• For planting of bedding plants or bulbs up to 6 cm Ø • Automatic release of soil by simple pressure on handle	• Lightweight hand trowel. • Like LU-Z, but varnished in red	

Other handtools					
					
Order-Code	LU-Z Flower Trowel	LU-P Hand Trowel	LU-BZ Hand Fork	LJ-Z Small Rake	FE-Z Planter
Barcode	 4 009269 277006	 4 009269 277402	 4 009269 292023	 4 009269 299404	 4 009269 196604
Article-No.	2913 000	2914 000	2920 000	2994 000	1966 000
Packaging unit	20	20	20	20	20
Dimensions	W: 8 cm	W: 5 cm	W: 8 cm	W: 8,5 cm	W: 3,5 cm
Description	• Lightweight hand trowel, pressed steel, galvanized	• For garden and balcony • Like LU-Z, but smaller version • Glossy galvanised	• Root-protective planting and replanting of potted and balcony plants • Glossy galvanised	• Cleaning up, loosening and aerating in the smallest bed layouts • Ideal for smoothing smallest areas • Glossy galvanised	• For simple and fast planting of flower bulbs and seedlings • Glossy galvanised
Spades & Forks					
	  				
Order-Code	AS-F Garden Spade »stainless steel«	AD-F Woman Spade »stainless steel«	AG-F Digging Fork »stainless steel«	RM-F Lawn Edge-Iron	iW-F Weed Extractor
Barcode	 4 009269 115506	 4 009269 115605	 4 009269 116008	 4 009269 331180	 4 009269 255288
Article-No.	1155 000	1156 000	1160 000	3311 800	2552 800
Packaging unit	5	5	5	6	6
Dimensions	L: 115 cm	L: 106 cm	L: 115 cm	W: 22,5 cm	
Recommended handle	European ash tree handle with D-grip	European ash tree handle with D-grip	European ash tree handle with D-grip	Incl. 85 cm alu-handle ZF-AD	Incl. 85 cm alu-handle ZF-AD
Description	• Made of steel • Ideal for planting and digging • Weighty tool	• Made of steel • Ideal for planting and digging • Handy tool for women	• Made of steel • Ideal for planting and transplanting • Tool with 4 robust tines	• Traditional half-moon design for creating neat lawn edges • Light and handy tool	• Removes all deep-rooted weeds simply by pushing into the ground • Twisting and pulling out weed



→ The winter will be back ...

WOLF-Garten offers you two eye-catching displays for optimum placing of the winter range in your checkout area. Put your winter range together to suit your requirements and select the appropriate display!



NEW

Additional sales in winter ...

The wooden display stand is perfect for practical and space-saving presentation of the WOLF-Garten snow pushers.



For exhibiting WOLF-Garten snow pushers incl. aluminium D-hand grip shaft.

- Filling: maximum 5 sets
- Space requirement: 1/4 Euro pallet



**Display stand
(US-P 280)**

Compact display stand in WOLF-Garten design for the presentation of multi-star® ice scrapers and ice picks.

- Filling: maximum 18 ice scrapers and 10 ice picks
- Space requirement: ¼ Euro pallet

multi-star® Winter range					
		NEW	NEW	NEW	NEW
Order-Code		SN-M 42/ZM-AD 120 Plastic snow pusher	SN-M 55/ZM-AD 120 Plastic snow pusher	SN-MA 45/ZM-AD 120 Aluminium snow pusher	US-M 249 Wooden display
Barcode					
Article-No.		1164 080	1166 080	1169 080	3733 849
Packaging unit		5	5	5	1
Description		• Light and stable • Cold shock-resistant down to -30° C • Resistant to road salt • Stable aluminium profiled edge • Working width: 42 cm • Incl. aluminium shaft with D-hand grip	• Light and stable • Cold shock-resistant down to -30° C • Resistant to road salt • 2 stepping edges • Stable aluminium profiled edge • Working width: 55 cm • Incl. aluminium shaft with D-hand grip	• Light and stable • Cold shock-resistant down to -40° C • Resistant to road salt • Stable aluminium profiled edge • Working width: 45 cm • Incl. aluminium shaft with D-hand grip	• For exhibiting the WOLF-Garten snow pusher • Filling: maximum 5 sets of each variation • Space requirement: ¼ Euro pallet
multi-star® Winter range					
		NEW	NEW	NEW	
Order-Code		IS-M/ZM 02 Ice scraper	IC-M Ice pick	US-P 280 Display stand	
Barcode					
Article-No.		3914 000	2350 000	3733 980	
Packaging unit		10	5	1	
Working width		10 cm	15 cm		
Description		• For effective ice scraping results • Edges on top side to loosen ice • Silicon bead for wet windscreens • Incl. hand grip	• Extra hardened blade • Additional use of impact scraper for removing dirt • Replaceable blade	• Compact display stand in WOLF-Garten design for the presentation of multi-star® ice scrapers and ice picks. • Filling: max. 10 ice scrapers and 10 ice picks • Space requirement: ¼ Euro pallet	



Tillers in detail:

2



Ergonomic grip bar with softgrip



Self-sharpening rotating tines



High performance engine



Plant protection plate

Easily accomplished soil cultivation!

The right preparations are key to healthy growth. The ground must be suitably cultivated before a fruit and vegetable garden can be set up or a dream lawn sown.

WOLF-Garten has the answer:
WOLF-Garten cultivators.

The tiresome and strenuous task of digging over and loosening the soil is a thing of the past. Offer your customers the practical and easy version.

The range includes two cultivators, one with electric motor and one with petrol engine, and two tillers with petrol engines. The ideal supplement to the WOLF-Garten multi-star® range. An extra branch of business you shouldn't miss out on!



Preparing the soil with more comfort!

All features at a glance:

- Lightweight and manoeuvrable alternative to cultivating the soil by muscle power alone
- Easy to use
- Minimal vibrations
- Hinged handle with soft grip padding
- Powerful 4-stroke B & S engines in the petrol models (T 40 B, T 61 B)
- Solid metal gearbox
- High-tensile metal cover plates for safe working
- Foldaway transport wheel (doesn't have to be removed) (T 40 B, T 61 B)
- Plant protection plate (on T 61 B model)



Cultivators/ Tillers



Order-Code

C 30 E

BluePower C 32 B

T 40 B

T 61 B

Electric-cultivators

Petrol-cultivators

Petrol-tiller

Petrol-tiller

Barcode



Article-No.

3660 000

3662 000

3664 000

3666 000

Working width

30 cm

32 cm

40 cm

61 cm

ø-working tool

230 mm

220 mm

305 mm

305 mm

Engine

1.400 Watt

• Rated power:
0,8 kW (1,1 hp)

• Rated power:
1,9 kW (2,6 hp)

• Rated power:
1,9 kW (2,6 hp)

Description

- Weight: 13 kg.
- Lightweight and manoeuvrable cultivator with electric motor for loosening the soil.
- Wheels: 160 mm Ø.
- Working tool: 4 tines.

- Weight: 17,5 kg.
- Manoeuvrable cultivator.
- Drill & Start kit.
- Water tank to increase contact pressure.
- Working tool: 8 tines.

- Weight: 34 kg.
- Manoeuvrable tiller for loosening the soil.
- Foldaway transport wheel 180 mm Ø.
- Working tool: 4 tines.

- Weight: 36 kg.
- Powerful tiller for loosening and turning over the soil.
- Foldaway transport wheel 180 mm Ø.
- Plant protection plates.

- Gardening gloves
- Special gloves
- Promotion gloves
- Gloves for kids



Always handy!

WOLF-Garten gloves are a "must have" for every garden lover!



Digging up the soil, cutting the roses or hedge, replanting - there is a wide range of tasks in the garden requiring the right working clothes. It's just a matter of course for the garden lover that the right garden gloves from WOLF-Garten are used. Garden work becomes a pleasure with the right glove on your hand, because demands are made especially on the hands during outside work. Garden gloves are definitely not all the same.

They have to be sensitive for weeding and picking, prick-proof when cutting and robust for heavier garden work.

WOLF-Garten has the solution for you and your customers: The WOLF-Garten glove range for large and small. The practical children's gloves are already available for our smaller garden fans during help on the balcony, the terrace, during playing and planting. The best thing is, almost all gloves can be washed at 30°C.

These smart garden helpers will become sales hits when ideally positioned as a supplementary convenience item parked between second-row ranges. WOLF-Garten gloves: attractive designs, high quality and user friendliness for your customers – interesting additional sales volume for you!



3

The perfect Gloves for working in the soil (GH-BO):

- Extremely sensitive finger tips
- High abrasion resistance for a long service life
- Breathable glove-outer
- Washable up to 30° C
- Available Sizes:



Universally gloves application for all garden work (GH-U):

- Sensitive
- Reinforced fingertips
- Resilient hand inner linings
- Breathable glove-outers
- Washable up to 30° C
- Available Sizes:



The perfect Gloves for balcony work (GH-BA):

- Very sensitive
- Slip-resistant and dirtrepelling cuff
- In attractive design
- Washable up to 30° C
- Available Sizes:



The power-tools gloves provide high safety in all garden work (GH-M):

- Anti-slip inner lining
- Adjustable cuffs and breathable glove-outers
- Integrated sweat wiper on the thumbs
- Washable up to 30° C
- Available Sizes:



The comfortable Gloves for all cutting work in the garden (GH-S):


- Material protects against thorns and brambles
- Reinforced inner lining provides protection while disposing
- Close-fitting cuffs prevent the gloves from getting stuck in bushes and trees
- Washable up to 30° C
- Available Sizes:



The gloves for light garden work (GH-PM/GH-PL):

- Robust hand inner linings
- For light gardening work
- Available Sizes: for man and lady





GLOVES Gardening gloves, Special gloves, Promotion gloves

3

Gardening gloves					
					
Order-Code	GH-BA 7 Garden bed gloves »balcony«	GH-BA 8 Garden bed gloves »balcony«	GH-BA 10 Garden bed gloves »balcony«		
Barcode	 4 009269 776561	 4 009269 776578	 4 009269 776585		
Article-No.	7760 011	7760 012	7760 013		
Packaging unit	12	12	12		
Size	7	8	10		
Description	• These sensitive gloves are especially suitable for work where finger sensitivity is required, e.g. planting or repotting plants. • The anti-slip and inner lining with a good grip facilitate optimal work with considerable wearing comfort. • Hands remain clean due to the integrated knitted cuff. • Washable up to 30° C.				
Gardening gloves					
					
Order-Code	GH-BO 7 Garden bed gloves »soil«	GH-BO 8 Garden bed gloves »soil«	GH-BO 10 Garden bed gloves »soil«	GH-U 8 Universal gloves	GH-U 10 Universal gloves
Barcode	 4 009269 776592	 4 009269 776608	 4 009269 776615	 4 009269 776493	 4 009269 776516
Article-No.	7760 014	7760 015	7760 016	7760 005	7760 007
Packaging unit	12	12	12	12	12
Size	7	8	10	8	10
Description	• Due to the high abrasion-resistance, these gloves are especially suited for working in the soil, e.g. digging in the soil. • The gloves fit snugly to your hands and protect them without losing the necessary sensitivity. • Extremely sensitive finger tips guarantee gently working. • The abrasion-resistance ensures a long service life. • The breathable glove-outers prevent sweating of the hands. • Washable up to 30° C.			• The Universal gloves are particularly robust due to the reinforced finger tips, the resilient inner lining and the knuckle protection. • The breathable glove-outers prevent sweating of the hands. • Universally applicable for all gardening work. • Washable up to 30° C.	

Special gloves					
					
Order-Code	GH-S 8 Cutting gloves	GH-S 10 Cutting gloves	GH-US Forearm cut protection	GH-M 8 Power-tools gloves	GH-M 10 Power-tools gloves
Barcode	 4 009269 776523	 4 009269 776530	 4 009269 776554	 4 009269 776462	 4 009269 776479
Article-No.	7760 008	7760 009	7760 055	7760 002	7760 003
Packaging unit	6	6	6	6	6
Size	8	10	Universal	8	10
Description					
• The cutting gloves allow safe and comfortable working during all cutting work in the garden. • The reinforced inner lining provides protection against injuries while disposing the clippings. • Material protects against thorns and brambles. • The close-fitting cuffs prevent the gloves from getting stuck in bushes and trees.			• Forearm cut protection • Material protects against thorns and brambles. • Washable up to 30° C.		• The power-tools gloves provide high safety in all gardening work due to the extremely anti-slip inner lining. • Integrated sweat wiper on the thumbs. • High wearing comfort due to adjustable cuffs and breathable glove-outers. • Washable up to 30° C.
Promotion gloves					
					
Order-Code	GH-PM Promotion gloves	GH-PL Promotion gloves	GH-K7 Children's gloves	GH-K 10 Children's gloves	
Barcode	 4 009269 776707	 4 009269 776714	 4 009269 776684	 4 009269 776691	
Article-No.	7760 025	7760 026	7760 023	7760 024	
Packaging unit	12	12	12	12	
Size	Man	Lady	For children up to 7 years	For children up to 10 years	
Description					
• These gloves are suitable for light garden work. • Robust hand inner linings. • Long service life.			• The excellently machined cotton is pleasant to wear. • Design is suitable for children. • Washable up to 30° C.		

- **Loppers**
- **Motorised tree care**
- **Secateurs**
- **Hedge-shears**
- **Grass-shears**
- **Shredders**
- **Battery-shears**



Tree & Shrub care



✦ Cutting off with finesse

Small but fine - those are the new Finesse 30 R rechargeable shears from WOLF-Garten. The light cutter product range has now been extended by additional rechargeable shears. The new shears in attractive design are especially popular with female gardeners. An eye catcher in your garden department.

Convincing sales arguments:

- Weighs only 500 g
- Anti-slip 2-component handle with soft insert
- Simple, rapid blade replacement with one click
- Most modern LI-ION POWER battery technology
- Charging time 3.5 hours

NEW



LI-ION POWER®

✦ These secateurs make it simple

Older users or people who do a lot of cutting will get their money's worth, because the comfortable and energy-saving alternative to cutting with conventional manual secateurs is also reflected in motor-driven branch cutters.

Garden work becomes a relaxing pleasure through cutting bushes, roses, branches and twigs at the press of a button. WOLF-Garten offers you 2 devices for motor-driven hedging and siding:

LI-ION POWER RR 2000

- Powerful lithium-ion battery facilitates cut after cut at the push of a button
- Ideal for those with a poor grip or those who suffer with aches and strains after frequent pruning
- Lightweight (500g) and comfortable to handle
- 400 cuts per battery charge
- Branch diameters up to 14 mm Ø
- Latest 3,6 V Lithium-Ion battery technology



LI-ION POWER RR 3000

- Powerful lithium-ion battery facilitates cut after cut at the push of a button
- Simple handling
- Incl. cutting protection
- Weight only 800 g
- 800 cuts per battery charge
- Branch diameters up to 20 mm Ø
- Exchangeable 7,4 V battery LI-ION POWER Pack 4
- Charging time only 30 min.





...✂️ Secateurs are distinguished!

We particularly value quality and product innovation. They distinguish a brand and are what we stand for. A quality feature which greatly influences customers in their purchasing choices!



Secateurs RR 22/RS 22
(17 secateurs in test)



Loppers RS 830
(11 loppers in test)



Anvil-Loppers RS 870 Vario
(11 loppers in test)



Battery-shears LI-ION POWER 100
(12 secateurs in test)



Secateurs Anvil RS-L
(9 secateurs in test)



Telescopic Bypass Lopper RR 650 T
(3 secateurs in test)

...✂️ Cutting with system!

The perfection of WOLF-Garten's cutters isn't just proven by the satisfaction of millions of gardening enthusiasts but also the experiences of professional gardeners who undertake a lot of pruning work and the results of independent test institutes which regularly test our tools and give them the seal of approval. They all come to the same conclusion: WOLF-Garten cutters are reliable for life, extremely robust, functional, easy-to-use, safe and comfortable.

Take advantage of these superlative tools and be impressed by the variety of WOLF-Garten's range of cutting tools. Whether you go for secateurs, lopping shears, grass shears or hedge shears, the extensive WOLF-Garten range has the right solution for all your customers' cutting needs:

- Comfortable, practical and safe handling
- Due to the non-stick coating the blades are well protected
- Vario adjustment for powerful cutting branches up to 50 mm Ø
- Exchangeable blades
- Guarantees a high-performance cut during the complete service life
- Ergonomic grips for a tireless und comfortable cut



...✂️ Tailor-made for your customers!

Who has been dealing with such a subject so intensively and long knows what the important thing is. We know shears inside out – no doubt. Therefore, we know that not only the perfection of our shears is decisive for an ideal cut, but particularly the user himself.

For this reason, our comfort shears are practically customized for the different hand sizes of your customers. Only then the shears lay ideally and securely in the hand, and only then the force can be ideally and tirelessly transferred. It doesn't matter if left or right-hander.

Tailor-made for every hand and every customer!



Bypass-Loppers						
Order-Code		RR-A Bypass Lopper	RR 650 T Telescopic Bypass Lopper	RR 770 Bypass Lopper	RR 830 Bypass Lopper	RR 840 Vario Bypass Tree Lopper
Barcode						
Article-No.		7256 000	7353 000	7350 000	7351 000	7352 000
Packaging unit		5	4	4	4	4
Dimensions		L: approx. 730 mm	L: approx. 650 - 930 mm	L: approx. 770 mm	L: approx. 830 mm	L: approx. 840 mm
Description		- Bypass cutting system - For branches up to 35 mm Ø	- Bypass cutting system. Solid, oval-shaped aluminium tube handles - For close, accurate pruning of branches up to approx. 40 mm Ø - Adjustable handles for greater leverage and reach	- Bypass cutting system - Solid, oval-shaped aluminium handles - Precisely adjustable blade tension - Very precise, clean cut of branches up to approx. 37 mm Ø	- Bypass cutting system. Double lever transmission reduces wearout - Solid, oval-shaped aluminium tube handles. Provides a very precise and clean cut. Cuts branches of up to approx. 44 mm Ø	- Bypass cutting system - Vario adjustment for powerful cutting and in restricted areas - Double lever transmission reduces wearout. Cuts branches of up to approx. 46 mm Ø
Anvil-Loppers						
Order-Code		RS-A Anvil Lopper	RS 650 T Telescopic Lopper	RS 770 Anvil Lopper	RS 830 Anvil Lopper	RS 870 Vario Anvil Tree Lopper
Barcode						
Article-No.		7208 000	7278 000	7275 000	7276 000	7277 000
Packaging unit		5	4	4	4	4
Dimensions		L: approx. 750 mm	L: approx. 650 - 930 mm	L: approx. 770 mm	L: approx. 830 mm	L: approx. 870 mm
Description		- Anvil cutting system - For branches up to 40 mm Ø	- Anvil cutting system. Solid, oval-shaped aluminium tube handles, adjustable in length - Outstanding cutting range. Precisely adjustable bearing - Very smooth cut. Cuts branches of up to approx. 42 mm Ø	- Anvil cutting system. Specially designed handles. - Solid, oval-shaped aluminium tube handles. Precisely adjustable bearing - Very smooth cut - Cuts branches of up to approx. 40 mm Ø	- Anvil cutting system. Double lever transmission reduces wearout - Special ergonomic handles. Solid, oval-shaped aluminium tube handles - Cuts branches of up to approx. 46 mm Ø	- Anvil cutting system. Vario adjustment for powerful cutting and in restricted areas. Double lever transmission reduces wearout - Cuts branches of up to approx. 50 mm Ø



TREE & SHRUB CARE Battery-shears, Secateurs

4

Motorised tree care					
					
Order-Code	LI-ION POWER RR 2000	LI-ION POWER RR 3000			
Barcode	 4 009269 729307	 4 009269 726405			
Article-No.	7293 000	7264 000			
Packaging unit	2	2			
Packaging	blister	suitcase for storage			
Description	• Very good handle ergonomics • For cutting branches up to 14 mm Ø • 400 cuts per battery charge • Weight: 0,5 kg • Incl. battery charger • Loading time: 4 h	• Very good handle ergonomics • For cutting branches up to 20 mm Ø • 800 cuts per battery charge • Weight: 0,8 kg • Incl. battery charger • Loading time: 30 min. • Incl. cutting protection • Incl. LI-ION POWER Pack 4			
Multi-purpose secateurs					
					
Order-Code	RR 5000 Bypass Alu secateurs »Professional«	RR 5000 Bypass Alu secateurs »Professional«	RS 5000 Anvil Alu secateurs »Professional«	RS 5000 Anvil Alu secateurs »Professional«	
Barcode	 4 009269 726306	 4 009269 726375	 4 009269 730402	 4 009269 730471	
Article-No.	7263 000	7263 007	7304 000	7304 007	
Packaging unit	5	5	5	5	
Packaging	in box	on blister	in box	on blister	
Description	• Stable aluminium profile handles with smooth plastic insert • Tool character • »Undetachable« integrated spring • The special angle of the cutting head prevents hyperextension of the hand • Replaceable blade	• Stable aluminium profile handles with smooth plastic insert • Tool character • »Undetachable« integrated spring. • The special angle of the cutting head prevents hyperextension of the hand • Replaceable blade	• Stable aluminium profile handles with smooth plastic insert • Tool character • »Undetachable« integrated spring • The special angle of the cutting head prevents hyperextension of the hand • Replaceable blade and anvil	• Stable aluminium profile handles with smooth plastic insert • Tool character • »Undetachable« integrated spring • The special angle of the cutting head prevents hyperextension of the hand • Replaceable blade and anvil	

Secateurs Bypass						
	Order-Code RR-L Bypass Secateurs »Comfort«	Order-Code RR-M Bypass Secateurs »Comfort«	Order-Code RR-S Bypass Secateurs »Comfort«			
	Barcode 4 009269 726009	Barcode 4 009269 726108	Barcode 4 009269 726207			
	Article-No. 7260 000	Article-No. 7261 000	Article-No. 7262 000			
Packaging unit		5	5	5		
Packaging		on blister	on blister	on blister		
Description 		• Bypass secateurs, tailor-made for large hands • Excellent handling due to cutting head and broad, cushioned upper grip • Precise, easy cut • Exchangeable blade	• Bypass secateurs, tailor-made for medium hands • Excellent handling due to cutting head and broad, cushioned upper grip • Precise, easy cut • Exchangeable blade	• Bypass secateurs, tailor-made for small hands • Excellent handling due to cutting head and broad, cushioned upper grip • Precise, easy cut • Exchangeable blade		
Secateurs Anvil						
	Order-Code RS-L Anvil Secateurs »Comfort«	Order-Code RS-M Anvil Secateurs »Comfort«	Order-Code RS-S Anvil Secateurs »Comfort«			
	Barcode 4 009269 730006	Barcode 4 009269 730105	Barcode 4 009269 730204			
	Article-No. 7300 000	Article-No. 7301 000	Article-No. 7302 000			
Packaging unit		5	5	5		
Packaging		on blister	on blister	on blister		
Description 		• Anvil secateurs tailor-made for large hands • Excellent handling due to cutting head and broad, cushioned upper grip • Exchangeable blade and anvil • For left- and right-handers	• Anvil secateurs tailor-made for medium hands • Excellent handling due to cutting head and broad cushioned upper grip. • Exchangeable blade and anvil • For left- and right-handers	• Anvil secateurs tailor-made for small hands • Excellent handling due to cutting head and broad, cushioned upper grip • Exchangeable blade and anvil • For left- and right-handers		



TREE & SHRUB CARE Secateurs

Secateurs Bypass



Order-Code

RR-E
Bypass Secateurs

RR 19
Bypass Secateurs
»Classic«

RR 19
Bypass Secateurs
»Classic«

RR 22
Bypass Secateurs
»Classic«

RR 22
Bypass Secateurs
»Classic«

Barcode



Article-No.

7234 000

7235 008

7235 006

7236 000

7236 007

Packaging unit

10

10

10

10

10

Packaging

loose

loose

on blister

loose

on blister

Description

- Robust, easy-to-use standard secateurs
- Bypass cutting system
- Spiral spring

- Precision-ground for a precise and even cut
- For left and right handers
- Recommended for small and medium sized hands
- Ergonomically designed grips
- Soft padding in the upper handle

- Precision-ground for a precise and even cut
- Comfortable grip
- Easy locking catch
- Recommended for medium sized hands
- Soft padding in the upper handle

Secateurs Anvil



Order-Code

RS 19
Anvil Secateurs
»Classic«

RS 19
Anvil Secateurs
»Classic«

RS 22
Anvil Secateurs
»Classic«

RS 22
Anvil Secateurs
»Classic«

Barcode



Article-No.

7222 008

7222 006

7227 000

7227 007

Packaging unit

10

10

10

10

Packaging

loose

on blister

loose

on blister

Description

- Precision-ground, non-stick-coated blades
- Can be used left- or right-handed
- Comfortable grip
- Recommended for smaller hands.
- Soft padding in the upper handle
- Anvil cutting system

- Cuts flower stems and wood branches
- Blade is precision-ground, non-stick-coated
- Can be used left- or right-handed
- Recommended for medium-sized hands
- Soft padding in the upper handle
- Anvil cutting system

Secateurs					
					
Order-Code	RA-X	RA-XS	RA-80	RR-E + RA-X	
	Multi-Purpose Scissors	Herb Shears	Flower-/Vine Shears	Bypass Secateurs	
Barcode					
	4 009269 721608	4 009269 721905	4 009269 722049	4 009269 723480	
Article-No.	7216 000	7219 000	7220 000	7234 080	
Packaging unit	10	10	10	10	
Packaging	on blister	on blister	on blister	on blister	
Description	• Universal usable especially for flower cuts in the garden • Also cuts rope, drapery, wrapping material and paper-board • Handy shears, particularly suitable for cutting fresh herbs with many young shoots • Manoeuvrable, precise cut thanks to short blades • 30% effort-saving thanks to frictionless non-stick coating • On waterproof product card • Shears with extra long 80 mm blade for cutting flowers or vines • 30 % effort-saving thanks to frictionless non-stick coating • Robust blade tip for more cutting reliability • On waterproof product card • A great set of double-edged secateurs and multi-purpose scissors • RR-E: Sturdy double-edged standard secateurs • RA-X: Suitable for the cutting of plants in the garden and the trimming of cut flowers				
Promotional Secateurs					
					
Order-Code	RR-EN	RR-EN	RS-EN	RS-EN	RS-EN + RR-EN
	Promotional Secateurs	Promotional Secateurs	Promotional Secateurs	Promotional Secateurs	Promotional-Set
Barcode					
	4 009269 722322	4 009269 722377	4 009269 285025	4 009269 285018	4 009269 722384
Article-No.	7223 000	7223 007	7210 000	7210 060	7223 080
Packaging unit	20	10	20	10	10
Packaging	loose	on blister	loose	on blister	on blister
Description	• Robust, easy-to-use standard secateurs • Bypass cutting system • Suitable for both left and right handed use • Stub-free cutting for quicker wound healing • Anvil cutting system • Plated metal parts, blades non-stick-coated • Set of 2 robust secateurs: 1 x Anvil cutting system 1 x Bypass cutting system				



TREE & SHRUB CARE Hedge-trimmers, Shredders

Battery hedge-trimmers



Order-Code

LI-ION POWER
HSA 45 V
Battery hedge-trimmer

Barcode



Article-No.

7420 000

Packaging unit

2

Cutting width

45 cm

Tooth aperture width

15 mm

Description



Category: gardening technology
2008

- Exchangeable battery system with Lithium-Ion accu
- Running time: 60 min
- Fast charging system, charging time: 2 hours
- Quick blade stop: < 0,5 sec.
- Duplex diamond cut rotatable double blade with latching mechanism
- Engine: 18 V / 1,3 Ah
- Weight: 3,5 kg

We got the hang of it!

The WOLF-Garten electric hedge- trimmers HSE 45/55/65 V enable strength saving and joint protecting work in all pruning and cutting situations thanks to their up to 180° rotatable and 5-fold lockable cutting head. All three types of tools are extremely comfortable to use due to the ideally balanced centroid.



HSE 55V: 11 tools in test; category: garden-/hedge shears

They provide an excellent quality of cutting due to the diamond-ground blades. The range of rotatable hedge-trimmers is completed by the battery operated LI-ION POWER HSA 45 V. Just like its cable-dependently operated „sisters“ it is particularly light, high-performing, comfortable and user-friendly.

Electric hedge-trimmers



Order-Code

HS 40 E

Electric Hedge-trimmer

HSE 45 V

Electric Hedge-trimmer

HSE 55 V

Electric Hedge-trimmer

HSE 65 V

Electric Hedge-trimmer

Barcode



Article-No.

7493 000

7440 000

7445 000

7450 000

Packaging unit

2

2

2

2

Cutting width

40 cm

45 cm

55 cm

65 cm

Tooth aperture width

14 mm

22 mm

22 mm

27 mm

Description

- 2-hand safety switch
- Blade quick stop: < 0,5 sec.
- Strain relief cable.
- Engine: 230 V / 400 W
- Weight: 3,0 kg

- 2-hand safety switch
- Blade quick stop: < 0,02 sec
- Blade holder
- Rotating double-blade ground on both sides with buffer
- Anti-block system
- Engine: 230 V / 500 W
- Weight: 3,7 kg

- 2-hand safety switch
- Blade quick stop: < 0,02 sec.
- Blade holder
- Rotating double-blade ground on both sides with buffer
- Anti-block system.
- Engine: 230 V / 500 W
- Weight: 3,8 kg

- 2-hand safety switch
- Blade quick stop: < 0,02 sec.
- Blade holder
- Rotating double-blade ground on both sides with buffer
- Anti-block system.
- Engine: 230 V / 600 W
- Weight: 3,9 kg

Hedge-shears					
Order-Code	HS-TA Telescopic hedge shears »Alu«	HS-G Hedge shears with mechanical advantage	HS-TL Hedge shears »Special«	HS-W Hedge shears with wave-edged blades	HS-B Box tree shears
Barcode					
Article-No.	7436 000	7426 000	7438 000	7439 000	7424 000
Packaging unit	4	3	3	4	5
Dimensions	L: approx. 770 - 970 mm				
Description	• High flexibility through adjustable handles which engage securely • Easy cut thanks to WOLF non-stick coating	• Particularly energy saving thanks to the power joint and WOLF non-stick coating • Extremely sharp double ground blades • Individual blade pretensioning	• Easy cut thanks to the WOLF non-stick coating • Particularly easy on the joints thanks to the shock-absorbing stop buffer • Individual blade pretensioning	• Particularly easy on the joints thanks to the shock-absorbing stop buffer • Powerful cutter for tough branches • Individual blade pretensioning	• Specially designed for the trimming of box trees and other topiary plants • No scratched hands thanks to multistage handle • Fine adjustable blade pretensioning

4

Shredders				
Order-Code	SDE 2100 Electric-Shredder	SDE 2500 Electric-Shredder	SDL 2100 Electric-Shredder	SDL 2500 Electric-Shredder
Barcode				
Article-No.	7511 000	7512 000	7514 000	7513 000
Engine	230 V / 2.100 Watt; 2.800 rpm	230 V / 2.500 Watt; 2.800 rpm	230 V / 2.100 Watt; 40 rpm	230 V / 2.500 Watt; 40 rpm
Chassis	Steel with plastic cover	Steel with plastic cover	Steel with plastic cover	Steel with plastic cover
Noise level	103 dB(A)	103 dB(A)	92 dB(A)	92 dB(A)
Description	• Branch diameter max.: 35 mm • Blade system: 2 reversible blades • Engine protection switch • Zero-voltage switch • Engine brake • Stable undercarriage / stable transport handle • Incl. collector bag	• Branch diameter max.: 40 mm • Blade system: 2 reversible blades • Engine protection switch • Zero-voltage switch • Engine brake • Stable undercarriage / stable transport handle • Incl. collector bag	• Branch diameter max.: 35 mm • Blade system: rotary cutter blade • Engine protection switch, zero-voltage switch • Right-hand motion, left-hand motion • Transport handle/undercarriage • Vibration-free self-intake • Start-up safeguard • Incl. collector bag	• Branch diameter max.: 40 mm • Blade system: rotary cutter blade • Engine protection switch, zero-voltage switch • Right-hand motion, left-hand motion • Transport handle/undercarriage • Vibration-free self-intake • Start-up safeguard • Incl. collector bag



TREE & SHRUB CARE Grass-shears, Battery-shears

Grass-shears



Order-Code

Ri-GC

Ri-GC

Hand grass shears »Professional«

Hand grass shears »Professional«

Barcode



Article-No.

7023 000

7023 007

Packaging unit

6

6

Packaging

loose

on blister

Description



Category: gardening technology
2008

- Lawn-edge care and lawn-edge cutting
- Grass collector to avoid the cutting material falling in neighbored beds
- Application possible with and without grass collector – simple assembly without tools
- 30 % effort-saving thanks to friction-poor non-stick coating
- Waved blades
- Comfort grip
- Hand protection
- 180° rotatable blade head

Simple handling with hand grass shears!

Precise, clean and perfect lawn edges!
The range of WOLF-Garten hand grass shears offers a simple and economic possibility for lawn edge care to your customers:

- Waved blades, hand protection and comfort grip
- 180° rotating blade head
- With grass collector for control and collection of the cutting material (Ri-GC)
- 30 % effort-saving thanks to friction-poor non-stick coating (Ri-GC, Ri-LL)

 **Made in Germany**

Grass-shears



Order-Code

Ri-LL
Hand grass shears
»Comfort«

Ri-LL
Hand grass shears
»Comfort«

RJ-ZL
Hand grass shears
»Classic«

RJ-ZL
Hand grass shears
»Classic«

Ri-T
Promotional
shears

Barcode



Article-No.

7030 000

7030 007

7031 000

7031 007

7033 004

Packaging unit

6

6

6

6

20

Packaging

loose

on blister

loose

on blister

loose

Description

- Lawn-edge care and lawn-edge cutting
- 30 % effort-saving thanks to antifriction non-stick coating
- Hand protection
- Comfort grip
- 180° rotatable blade head

- Lawn-edge care and lawn-edge cutting
- Glossy galvanised blade
- Now with 180° rotatable blade head as well

- For lawn-edge care and cutting of grass in inaccessible areas
- 180° rotatable blade head

LI-ION POWER



FINESSE in the garden

Things are getting easier - especially if you use the LI-ION POWER FINESSE shears for lawn edging. In addition to the tried and tested "3-in-1 set", there is an additional model with 30 minutes cutting time in an attractive new design available for the 2011 garden season. The grass shears with 50 minutes cutting time, which can simply be converted to bush or contour shears with the appropriate blades, are retained in the program.

Just practical - the transparent packaging is simultaneously the charging station and wall holder. This guarantees clean safekeeping.



Advantages in overview: LI-ION POWER FINESSE 30 R

- 80 mm Cutting width
- Weight under 500 gramm
- Simple and precise blade exchange per click
- Charger with wall mounting and state-of-the-art LI-ION battery technology
- Loading time: 3,5 h
- Including charging system

4

Battery-shears



Order-Code	Lawn-shears LI-ION POWER FINESSE 30 R	Lawn-shears LI-ION POWER FINESSE 50 R	LI-ION POWER FINESSE Set	F 50 TS Vario handle	
Barcode	 4 009269 303507	 4 009269 726603	 4 009269 726900	 4 009269 726689	
Article-No.	7079 000	7266 000	7269 000	7266 090	
Packaging unit	6	4	4	4	
Running time	30 min.	50 min.	50 min.		
Cutting width	80 mm	80 mm	60/80/110 mm		
Description	• Very good handle ergonomics. • Easy handling • Weight: 0,5 kg • Including charging system • Loading time: 3,5 h	• Very good handle ergonomics • Easy handling • Including storage box • Weight: 0,5 kg • Including charging system • Loading time: 5 h	• The practical »3-in-1« set: battery-shears LI-ION POWER Finesse 50 R incl. contour- and hedge-shears blade	• For all LI-ION POWER FINESSE battery-shears • Facilitates effortless and precise trimming • Quick and easy assembly through cordless connection	
Spare part (optional)		Telescopic handle F 50 TS optional	Telescopic handle F 50 TS optional		



TREE & SHRUB CARE Battery-shears



Battery-shears			
			
Order-Code	LI-ION POWER Accu BS 80	LI-ION POWER BS 80 + Accu 10 EM	P 530
Barcode	 4 009269 709408	 4 009269 709477	 4 009269 376181
Article-No.	7087 880	7087 887	3733 730
Packaging unit	2	4	16
Running time	up to 100 min.	up to 100 min.	up to 100 min.
Cutting width	170 mm	170 mm	170 mm
Description	• Can easily be changed into grass-shears • Ergonomic softgrip for a comfortable, non-slip handling • Weight: 0,9 kg • Incl. charger • Charging time: 6 h	• Battery-shears LI-ION POWER Accu BS 80 in attractive plastic suitcase • Can easily be changed into a lawn edge cutter • Accu 10 EM blade included	• 16 x LI-ION POWER Accu BS 80 and lawn-shears blade in attractive suitcase
Spare part	Accu BS EM/7095 093 Accu 8 EM/7084 093 Accu 10 EM/7085 093	Accu BS EM/7095 093 Accu 8 EM/7084 093 Accu 10 EM/7085 093	Accu BS EM/7095 093 Accu 8 EM/7084 093 Accu 10 EM/7085 093

Battery operated shears for demanding customers!


The tried and tested WOLF-Garten LI-ION POWER shears battery 60, 100 and BS 80 are convincing due to their enormous efficiency and extremely long service life.

- With exchangeable, longlife, lightweight and efficient Lithium-Ion-batteries.
- 180° rotatable blade head, 5fold lockable.
- Hardened, diamond-cut blades.
- Non-stick coating – no sticking of cutting edges because of plant saps
- Very good grip ergonomics

Battery-shears					
					
Order-Code	LI-ION POWER Accu 60	LI-ION POWER Accu 100	LI-ION POWER Accu 60 Set	AC-TS Vario handle	
Barcode	 4 009269 709101	 4 009269 709309	 4 009269 709187	 4 009269 709507	
Article-No.	7084 880	7086 880	7084 889	7095 000	
Packaging unit	4	2	4	4	
Running time	up to 75 min.	up to 125 min.	up to 75 min.		
Cutting width	80 mm	100 mm	80 mm		
Description	• Wheels for constant cutting height • Very good grip ergonomics • Weight: 0,9 kg • Incl. charger • Charging time: 5 h	• Wheels for constant cutting height • Can easily be changed into hedge shears • Very good grip ergonomics • Weight: 0,9 kg • Incl. charger • Charging time: 6 h	• LI-ION POWER Accu 60 incl. vario handle AC-TS • Quick and easy assembly through cordless connection	• For WOLF-Garten battery-shears • Facilitates effortless and precise trimming • Quick and easy assembly through cordless connection	
Spare part	Accu 8 EM/7084 093	Accu BS EM/7095 093 Accu 8 EM/7084 093 Accu 10 EM/7085 093	Accu 8 EM/7084 093		



- Electric-mowers
- Petrol-mowers
- Lawn tractors
- Battery-mowers
- Reel-mowers



Lawn-mowers



Lawn-mowers

50 years of innovation

1958

WOLF-Garten develops the first lawn-mower in Europe with a sickle blade system



1958

Introduction of Europe's first electric-mower



1996

WOLF-Garten provides the fun factor during lawn mowing with »Scooter« and »Cart«

CCM-SYSTEM

cut collect mulch



2005

WOLF-Garten sets new standards: the CCM-System! Simply turn your lawn-mower into a mulcher by turning a single knob



2008

The 1st hybrid lawn-mower in Europe

BLUE POWER
TECHNOLOGIE PRO NATUR



2010

WOLF-Garten is committed to the environment.
The 1st lawn-mower with BluePower Technology

More than just a brand name

It's not just decades of experience and innovation which are behind our wide-ranging product series in the lawn-mower segment, but also permanent development and research which is intended to simplify lawn mowing even more for your customers. In these more and more fast-moving times, lawn mowing should be kept simple and quick but still be comfortable.

The WOLF-Garten brand combines innovation, creativity and quality in one device. This is the way to make mowing the lawn a pleasure.

Our many years of experience in the electric mower segment has been confirmed by numerous positive test results. That's not the only reason why WOLF-Garten has been market leader in the electric mower segment for more than 50 years. This is a decisive advantage which you should utilise for yourself and for your customers. That's because, according to us, the best is just not good enough for your customers' lawns.



	SELECT	AMBITION
Description	Functional quality, robust and reliable with an attractive price-performance ratio.	Quality product, robust and reliable with good functionality, comfortable fittings and powerful engines.
Number of models	2 electric mowers 4 petrol mowers	5 electric mowers 5 petrol mowers
Engines	universal electric motors powerful OHV motors	asynchronous electric motors powerful Briggs & Stratton petrol motors
Handlebar	One-hand switch Upper handle can be folded in one piece	Console grip with frame switch Foldable top bar
Cutting height adjustment	Single wheel	Central
Wheels	Standard	Comfort / high wheels
Drive/transmission	1-speed gear	1-speed gear
Collection system	Grass box/Grass bag	Grass bag with hard top and bag full indicator

One brand for all uses

WOLF-Garten is the only manufacturer which can offer you a complete band width covering all customer requirements. The right selection for everyone:

- From part-time gardeners to ambitious lawn lovers.
- From the small front lawn up to the huge lawns which can be perfectly cared for with lawn tractors.

From the SELECT standard model right up to the innovative and environmentally-friendly BluePower range. Come and be convinced by our completely reworked range.



5

BLUE POWER®	POWER EDITION	LI-ION POWER®
Outstanding quality supplemented with ergonomic, comfortable fitting details. Environmentally-friendly, efficient engine technology for the reduction of petrol or energy consumption	Highest quality in heavy-duty and reliable versions combined with excellent functionality and comfortable fitting details. Exclusively for the specialised trade	The most modern LI-ION POWER rechargeable battery technology combined with easy to handle, robust and reliable lawn-mowers
3 electric mowers 7 petrol mowers	4 electric mowers 9 petrol mowers	3 battery mowers
Permanent magnetic engine with electronic control; Briggs & Stratton BluePower engine	Asynchronous electric motors / powerful Briggs & Stratton "Ready-Start" engines	Powerful battery motors with LI-ION POWER replaceable rechargeable battery technology
Console grip with frame switch Foldable upper handle	Console grip with frame switch and soft grip Foldable upper handler	Console grip with frame switch and soft grip Foldable upper handle
Central	Central	Central
Comfort / high wheels	Comfort	Comfort
Vario	Vario	–
Grass collector bag with hard top and bag full indicator	Grass collector bag with bag full indicator	Grass collector bag with bag full indicator



Lawn mowers and tractors

...❖ WOLF-Garten is sitting up

A wide range of lawn-tractors in the »SELECT«, »AMBITION« and »BluePower« ranges are new in the WOLF-Garten program. These real power packets are fitted with the »key to success« - the yellow wolf embellishes the starter tool.

The five »SELECT« models are available in cutting widths of 76 to 107 cm with Transmatic drive. Special characteristics are provided by the yellow hood scoop and black steering wheel with the red WOLF-Garten logo in the middle (please see pages 52-53 for more details).

Thanks to their effective hydrostatic drive, the »AMBITION« models stand out in the middle price segment. The many additional design features also play their part. The ergonomic seat with high back ensures more comfort, the red front bumper, the black grille and the new air intake look just as chic as their improved functionality proves (please see pages 54 + 57 for more details).

In the case of the »BluePower« tractors, the Briggs & Stratton two-cylinder engine manages an impressive 16 or 20 hp out of its 656 cm³. The »BluePower« monitor continuously provides current data so that the benefits of exhaust gas reduction are guaranteed over long periods. The multi-layer petrol tank is fitted with an active carbon filter and special fuel tank cap. The new light technology with LED lamps and blue reflective film is considerably thriftier than the previous halogen lamps (please see pages 58 + 63 for more details).

All WOLF-Garten tractors above 76 cm are fitted with the so-called »ready to use« features, for example a pre-charged battery with charger. The steering wheel and seat can be fitted in minutes with three screws and the tools included. The grass bag can be clipped together without tools for mowers with rear discharge. This means that the WOLF-Garten tractors are ready for action in only 15 minutes.

NEW

5





	SELECT	AMBITION	BLUE POWER®
Description	Functional quality, robust and reliable with an attractive price-performance ratio	Quality product, robust and reliable with good functionality, comfortable fittings and powerful engines	Outstanding quality supplemented with ergonomic, comfortable fitting details. Environmentally-friendly, efficient engine technology for the reduction of petrol or energy consumption
Number of models	3 rear discharge 2 side discharge	3 rear discharge 2 side discharge	3 rear discharge 2 side discharge
Transmission	Transmatic transmission	Hydrostatic transmission	Hydrostatic transmission
Cutting width	From 76 to 107 cm	From 76 to 107 cm	From 92 to 107 cm
Cutting height adjustment	5-positions from 3,0 - 9,5 cm	5-positions from 3,0 - 9,5 cm	5-positions from 3,0 - 9,5 cm
Turning radius	46 cm	46 cm	46 cm
Seat	Comfort seat	Ergonomic seat with high back	Ergonomic seat with high back
Steering wheel	Comfort steering wheel	Ergonomic steering wheel with soft grip	Ergonomic steering wheel with soft grip
Collection bag volumes for rear discharge models	From 200 to 240 litres	From 210 to 240 litres	240 litres
Tow hitch	•	•	•
Rubberised footrest	—	•	•





Lawn-mowers Electric-mowers, Petrol-mowers

Electric-mowers



Order-Code

**SELECT
3200**

**SELECT
3800**

Barcode



4 009269 303330



4 009269 303347

Article-No.

18ACA1D-650

18ACF1S-650

Cutting width

32 cm

38 cm

Engine

230 V / 1.000 Watt

230 V / 1.400 Watt

Chassis

High-quality plastic

High-quality plastic

Noise-level

93 dB(A)

96 dB(A)

Cutting height
adjustment

Single wheel 3
settings 2,0 - 6,0 cm

Single wheel 3
settings 2,0 - 6,0 cm

Wheels

Nylon bearings

Nylon bearings

Grass-collector
bag

Grass box: 30 l

Grass box: 30 l

Description

- Weight: 12 kg
- Foldable handle

- Weight: 14 kg
- Foldable handle

Optional extras

Spare part

Vi 32 D/
WG742-04355

Vi 38 D/
WG742-04359

SELECT

Mowing made easy

Excellent performance at an outstanding price to performance ratio. That's what WOLF-Garten's SELECT product range stands for. Suitable for small to medium gardens, the tools stand out due to their high quality, good functionality, robustness and reliability.

Available in cutting widths of 32 - 53 cm and fitted with powerful motors, they offer WOLF-Garten quality in the entry-level price segment to round off the range and for campaign displays

Overview of details



attractive design



powerful 4-stroke
OHV engine



foldable handle



easy-to-clean steel
chassis

Petrol-mowers					
					
Order-Code	SELECT 4000	SELECT 4600	SELECT 4600 A	SELECT 5300 A	
Barcode					
Article-No.	11B-I1JD650	11C-J1JD650	12D-J2JD650	12C-84M1650	
Cutting width	40 cm	46 cm	46 cm	53 cm	
Engine	• 4-stroke-OHV-engine • Rated power: 1,7 kW (2,3 hp)	• 4-stroke-OHV-engine • Rated power: 1,7 kW (2,3 hp)	• 4-stroke-OHV-engine • Rated power: 1,7 kW (2,3 hp)	• 4-stroke-OHV-engine • Rated power: 2,6 kW (3,5 hp)	
Chassis	Steel	Steel	Steel	Steel	
Noise-level	96 dB(A)	96 dB(A)	96 dB(A)	98 dB(A)	
Cutting height adjustment	Single wheel, 6 settings 2,0 - 9,0 cm	Single wheel, 6 settings 2,0 - 9,0 cm	Single wheel, 6 settings 2,0 - 9,0 cm	Single wheel, 6 settings 2,0 - 9,0 cm	
Wheels	Nylon bearings	Nylon bearings	Ball bearings	Ball bearings	
Grass-collector bag	Grass bag: 60 l	Grass bag: 70 l	Grass bag: 70 l	Grass bag: 80 l	
Description	• Weight: 25 kg • Powerful OHV-engine • Foldable handle	• Weight: 27 kg • Powerful OHV-engine • Foldable handle	• Weight: 31 kg • Powerful OHV-engine • Foldable handle • 1-speed gear: 3,5 km/h	• Weight: 42 kg • Powerful OHV-engine • Foldable handle • 1-speed gear: 3,5 km/h	
Optional extras	• 4-stroke oil Vo-4 T 4180 092 • Mulching Kit	• 4-stroke oil Vo-4 T 4180 092 • Mulching Kit	• 4-stroke oil Vo-4 T 4180 092 • Mulching Kit	• 4-stroke oil Vo-4 T 4180 092 • Mulching Kit	
Spare part	Vi 40 T/ WG742-04111	Vi 46 T/ WG742-0738	Vi 46 T/ WG742-0738	Vi 53 T/ WG742-0741A	



Lawn tractors in detail

- 1** Noise-reducing bonnet in thermo-resistant plastic, can be removed without tools for service purposes
- 2** Comfort steering wheel
- 3** Step-through frames without irritating components for easy mounting and dismounting
- 4** Easily accessible engine compartment under the adjustable comfortable seat
- 5** Emptying large-volume grass bag from seat using telescopic handle (except SELECT 76.125 T)
- 6** Turf saving tyres
- 7** Pendular-mounted cutting system
- 8** Steel pivoting front axle

5

Other features

- Integrated tow hitch
- Powder-coated steel chassis
- Ergonomic cutting height adjustment with one-hand operation
- Mowing equipment can be switched on separately
- Mowing right up to borders
- Tight turning radius
- Grass chute with an overflow prevents a clogged discharge chute
- Highly efficient mowing system
- "Ready-to-use" : all lawn tractors are ready to use in just a few minutes

SELECT

The new select class amongst the lawn tractors

Even the entry-level range in the new WOLF-Garten lawn tractor generation is convincing due to its high functionality and excellent price to performance ratio on top of the "Made in Germany" attribute. There will be three models with rear discharge and two models with side discharge with cutting widths of 76 - 107 cm available from the market launch in spring 2011. All models are fitted with a comfortable Transmatic transmission which enables changing gear without stopping.

Acceleration and deceleration takes place using the brake pedal which simultaneously serves as a clutch. On top of this, the lawn tractors with rear discharge have an easy-to-remove grass collector.



Transmatic transmission



Impeller
(only on SELECT 76.125 T)



Tow hitch



Lawn tractors					
  					
Order-Code	SELECT NEW 76.125 T	SELECT NEW 92.130 T	SELECT NEW 105.155 T	SELECT NEW 96.130 T	SELECT NEW 107.175 T
Barcode	 4 009269 303729	 4 009269 303736	 4 009269 303743	 4 009269 303767	 4 009269 303774
Article-No.	13AH76RC650	13RH76RE650	13RM77RN650	13TH76RF650	13TN77RG650
Cutting width	76 cm	92 cm	105 cm	96 cm	107 cm
Engine	• 4-stroke-OHV-engine • Rated power: 6,0 kW (8,1 hp) 	• 4-stroke-OHV-engine • Rated power: 6,3 kW (8,5 hp) 	• 4-stroke-OHV-engine • Rated power: 8,9 kW (12,1 hp) 	• 4-stroke-OHV-engine • Rated power: 6,3 kW (8,5 hp) 	• 4-stroke-OHV-engine • Rated power: 9,5 kW (12,9 hp) 
Transmission	Transmatic transmission	Transmatic transmission	Transmatic transmission	Transmatic transmission	Transmatic transmission
Noise-level	100 dB(A)	100 dB(A)	100 dB(A)	100 dB(A)	100 dB(A)
Cutting height adjustment	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm
Turning radius	46 cm	46 cm	46 cm	46 cm	46 cm
Grass-collector bag	Grass bag: 200 l	Grass bag: 240 l	Grass bag: 240 l	optional	optional
Description	• Weight: 185 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Integrated deflector • Impeller	• Weight: 195 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • High-lift blade	• Weight: 198 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • High-lift blade	• Weight: 150 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • High-lift blade • Integrated deflector	• Weight: 175 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • High-lift blade • Integrated deflector
Optional extras		• Deflector optional 196-750-678	• Deflector optional 196-750-678		
Spare part					



AMBITION

 **A for ambition = lawn care for ambitious garden fans**

WOLF-Garten offers you the AMBITION product line for gardeners with high requirements on lawn care equipment. Just as the models in the SELECT class, these lawn-mowers stand out through their high quality and functionality. In comparison with the SELECT class, however, they have been refined with numerous fitting features to make work easier.

The push mowers stand out due to the following additional features in comparison with the SELECT line:

- Central cutting height adjustment
- Grass collector bag with hard top and level indicator
- Highwheels for easy handling
- Ball-bearing wheels
- Console grip with frame switch
- Plant Protection System (except for AMBITION 34, 38 and 42 E)
- Foldable handle bar for space-saving storage and easy transport
- High-performance asynchronous motors or powerful Briggs & Stratton petrol engines
- Compact design
- Integrated carry handle

5

 **Just sit on it!**

The lawn tractors in the AMBITION product line earn their trust through performance and quality, and combine the basic function of a reliable lawn tractor with comfortable fitting details so that they are always ready to care for medium-sized and large lawns. You can find the right model in the AMBITION line even for rough terrain.

 **Extended features in detail:**

- Hood with noise-reducing dust-proof cover
- Adjustable ergonomic seat with high back
- Ergonomic steering wheel with soft grip
- Anti-slip rubber pad
- Front bumper as impact protection
- Pivoting front axle
- Hose connection for standard plug-in systems for simple mowing equipment cleaning
- Mowing right up to borders
- The hydrostatic transmission enables infinitely adjustable speed regulation, forwards or reverse, without a clutch or changing gear



Ergonomic steering wheel



Front bumper as impact protection



Hose connection



Electric-mowers					
					
					
Order-Code	AMBITION 34 E	AMBITION 38 E	AMBITION 42 E	AMBITION 48 E HW	AMBITION 48 EA HW
Barcode					
Article-No.	18ACG4J2650	18ACH4H2650	18ACI4L2650	18A-11K-650	18AR11L-650
Cutting width	34 cm	38 cm	42 cm	48 cm	48 cm
Engine	230 V / 1.200 Watt	230 V / 1.600 Watt	230 V / 1.800 Watt	230 V / 1.700 Watt	230 V / 1.800 Watt
Chassis	High-quality plastic	High-quality plastic	High-quality plastic	Steel	Steel
Noise-level	88 dB(A)	90 dB(A)	94 dB(A)	96 dB(A)	96 dB(A)
Cutting height adjustment	Central 5 settings 3,0 - 7,0 cm	Central 5 settings 3,0 - 7,0 cm	Central 7 settings 2,2 - 7,2 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm
Wheels	Nylon bearings	Nylon bearings	Nylon bearings	Ball bearings	Ball bearings
Grass-collector bag	Grass bag: 40 l	Grass bag: 50 l	Grass bag: 60 l	Grass bag: 75 l	Grass bag: 75 l
Description	• Weight: 17 kg • Cable anti-kink • Strain relief cable • Foldable handle • Bail engine control • Highwheels • Bag full indicator • Cable guide »Flick-Flack®«	• Weight: 18 kg • Cable anti-kink • Strain relief cable • Foldable handle • Bail engine control • Highwheels • Bag full indicator • Cable guide »Flick-Flack®«	• Weight: 23 kg • Cable anti-kink • Strain relief cable • Foldable handle • Bail engine control • Highwheels • Bag full indicator • Cable guide »Flick-Flack®«	• Weight: 34 kg • Cable anti-kink • Strain relief cable • Foldable handle • Bail engine control • Highwheels • Bag full indicator • Cable guide »Flick-Flack®« • Plant Protection System	• Weight: 36 kg • Cable anti-kink • Strain relief cable • Foldable handle • Bail engine control • Highwheels • Bag full indicator • Cable guide »Flick-Flack®« • Plant Protection System • 1 gear speed: 3,5 km/h
Optional extras					
Spare part	Vi 34 C/ WG742-04356	Vi 38 C/ WG742-04357	Vi 42 C/ WG742-04358	Vi 48 C/ WG742-04111	Vi 48 C/ WG742-04111



LAWN-MOWERS Petrol-mowers, Lawn tractors

Petrol-mowers					
					
Order-Code	AMBITION 40	AMBITION 40 A	AMBITION 48 HW	AMBITION 48 A HW	AMBITION 53 A HW
Barcode					
Article-No.	11A-144J650	12A-144J650	11A-118R650	12A-118R650	12A-858R650
Cutting width	40 cm	40 cm	48 cm	48 cm	53 cm
Engine	• 4-Stroke-engine • Rated power: 1,9 kW (2,5 hp) 	• 4-Stroke-engine • Rated power: 1,9 kW (2,5 hp) 	• 4-Stroke-engine • Rated power: 2,4 kW (3,3 hp) 	• 4-Stroke-engine • Rated power: 2,4 kW (3,3 hp) 	• 4-Stroke-engine • Rated power: 2,4 kW (3,3 hp) 
Chassis	Steel	Steel	Steel	Steel	Steel
Noise-level	96 dB(A)	96 dB(A)	96 dB(A)	96 dB(A)	98 dB(A)
Cutting height adjustment	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm
Wheels	Ball bearings	Ball bearings	Ball bearings	Ball bearings	Ball bearings
Grass-collector bag	Grass bag: 60 l	Grass bag: 60 l	Grass bag: 75 l	Grass bag: 75 l	Grass bag: 80 l
Description	• Weight: 27 kg • Bag full indicator • Foldable handle • Plant Protection System • Incl. Mulchkit	• Weight: 28 kg • Bag full indicator • Foldable handle • Plant Protection System • 1 gear speed: 3,5 km/h • Incl. Mulchkit	• Weight: 30 kg • Bag full indicator • Foldable handle • Highwheels • Plant Protection System • Incl. Mulchkit	• Weight: 31 kg • Bag full indicator • Foldable handle • Highwheels • Plant Protection System • 1 gear speed: 3,5 km/h • Incl. Mulchkit	• Weight: 44 kg • Bag full indicator • Foldable handle • Highwheels • Plant Protection System • 1 gear speed: 3,5 km/h • Incl. Mulchkit
Optional extras	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092
Spare part	Vi 40 H/ WG742-04315	Vi 40 H/ WG742-04315	Vi 48 H/ WG742-04018A	Vi 48 H/ WG742-04018A	Vi 53 H/ WG742-0828

Lawn tractors					
					
Order-Code	AMBITION NEW 76.125 H	AMBITION NEW 92.130 H	AMBITION NEW 105.175 H	AMBITION NEW 96.155 H	AMBITION NEW 107.175 H
Barcode	 4 009269 303781	 4 009269 303798	 4 009269 303804	 4 009269 303811	 4 009269 303828
Article-No.	13RH71RA650	13RH71RE650	13RN71RN650	13TM79RF650	13TN79RG650
Cutting width	76 cm	92 cm	105 cm	96 cm	107 cm
Engine	• 4-Stroke-OHV-engine • Rated power: 6,0 kW (8,1 hp) 	• 4-Stroke-OHV-engine • Rated power: 6,3 kW (8,5 hp) 	• 4-Stroke-OHV-engine • Rated power: 9,5 kW (12,9 hp) 	• 4-Stroke-OHV-engine • Rated power: 9,2 kW (12,5 hp) 	• 4-Stroke-OHV-engine • Rated power: 9,5 kW (12,9 hp) 
Transmission	Hydrostatc transmission	Hydrostatc transmission	Hydrostatc transmission	Hydrostatc transmission	Hydrostatc transmission
Noise-level	100 dB(A)	100 dB(A)	100 dB(A)	100 dB(A)	100 dB(A)
Cutting height adjustment	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm
Turning radius	46 cm	46 cm	46 cm	46 cm	46 cm
Grass-collector bag	Grass bag: 210 l	Grass bag: 240 l	Grass bag: 240 l	optional	optional
Description	• Weight: 190 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Ergonomic seat with high back • Steering wheel with soft grip • Integrated deflector • Impeller	• Weight: 195 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Ergonomic seat with high back • Steering wheel with soft grip • High-lift blade	• Weight: 198 kg • Rear discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Ergonomic seat with high back • Steering wheel with soft grip • High-lift blade	• Weight: 150 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Ergonomic seat with high back • Steering wheel with soft grip • High-lift blade • Integrated deflector	• Weight: 175 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • Front headlights • Ergonomic seat with high back • Steering wheel with soft grip • High-lift blade • Integrated deflector
Optional extras		• Deflector optional 196-750-678	• Deflector optional 196-750-678		
Spare part					



BLUE POWER®

BluePower for environmentally-friendly garden care

With the BluePower product line we are once again setting a benchmark which has a considerable signal effect - for our customers, the sector and far beyond. BluePower products follow one credo from their manufacture, through utilisation up to recycling.

TECHNOLOGIE PRO NATUR

BluePower gives our customers the pleasant feeling of having knowingly made the right decision. For nature, the newest technology and sustainability. The same passion which moves every garden lover has driven us to develop the BluePower products. The love of nature!

You will be serving a lucrative and growing market with the BluePower series. 98% of end users* are interested in environmentally-acceptable garden care products. Leading companies such as Mercedes, Volkswagen, Samsung, Siemens etc have already successfully launched Blue products on the market. Wolf Garden is continuing this trend in garden care.

You'll be gaining a new and high-consuming target group with BluePower. The LOHAS (Lifestyle of Health and Sustainability)*¹ promotes health in addition to economic and ecological sustainability through conscious product selection

The BluePower promises at a glance

Electric lawn-mowers

- Use of permanent magnet motors, supported by an electronic motor controller for regulating soft start-up, speed and power brake
- Reduction of power consumption by up to 70% in comparison with conventional asynchronous motors at the same cutting and collecting performance
- High degree of efficiency, up to 80%
- Comfortable, quiet engine noise
- Low-vibration
- The cutting system with cross blades ensures additional reduction of the energy consumption in addition to an excellent cutting profile with extremely good collection results
- Integrated mulching system

Petrol lawn-mowers

- Use of Briggs & Stratton Eco engines with OHV engine technology, lawn tractors additionally with 2-cylinder technology
- Reduction of exhaust gas levels by up to 38%
- Reduction of evaporative emissions by up to 51%
- All petrol models are fitted with a service interval display which ensures that the engine is kept clean over the entire service life
 - The BluePower monitor registers the hours worked by measuring the engine vibrations and reminds the user to keep to the service intervals by showing symbols on the display
 - You can find extensive information about the BluePower monitor system from a separate Internet domain: www.bluepower-monitor.com
- Integrated mulching system
- Vario drive for all BluePower drive models above 48 cm cutting width
- Electric start and Vario drive for BluePower models 48 A HW ES and 53 A HW ES



*WOLF-Garten market research, February 2010; *1 LOHAS is an acronym for "Lifestyle of Health and Sustainability". It stands for a lifestyle or type of consumer who wishes to promote health and sustainability through his consumer behaviour and targeted product selection. LOHAS consumers are, for example, nature and outdoor holidaymakers, customers who shop at organic shops or organic super-markets. Their motives are similar to that of the slow-food movement, and they strictly reject the "cheap is cool" mentality. *2 According to manufacturer's information.



5



Briggs & Stratton
BluePower engines



BluePower monitor



Engine unit
Electric mowers



LAWN-MOWERS Electric-mowers, Petrol-mowers

5

Electric-mowers					
					
Order-Code	BluePower 34 E	BluePower 37 E	BluePower 40 E		
Barcode	 4 009269 303514	 4 009269 303521	 4 009269 303538		
Article-No.	18AWF1X1650	18AWG1Y1650	18AWH1Z1650		
Cutting width	34 cm	37 cm	40 cm		
Engine	600 Watt $\triangle$ 1.200 Watt	650 Watt $\triangle$ 1.400 Watt	700 Watt $\triangle$ 1.600 Watt		
Chassis	High-quality plastic	High-quality plastic	High-quality plastic		
Noise-level	87 dB(A)	89 dB(A)	93 dB(A)		
Cutting height adjustment	Central 5 settings 2,0 - 6,0 cm	Central 5 settings 2,0 - 6,0 cm	Central 5 settings 2,5 - 8,0 cm		
Wheels	Nylon bearings	Nylon bearings	Ball bearings		
Grass-collector bag	Grass bag: 35 l	Grass bag: 35 l	Grass bag: 55 l		
Description	• Weight: 14 kg • »4 in 1«: cutting, collecting wet and dry grass, mulching • Up to 50% reduced energy consumption at the same cutting performance • Cable anti-kink • Cable guide »Flick-Flack®« • Bail engine control • Bag full indicator • Replacement blade 200 Cuts/Sec.	• Weight: 16 kg • »4 in 1«: cutting, collecting wet and dry grass, mulching • Up to 50% reduced energy consumption at the same cutting performance • Cable anti-kink • Cable guide »Flick-Flack®« • Bail engine control • Bag full indicator • Replacement blade 200 Cuts/Sec.	• Weight: 22 kg • »4 in 1«: cutting, collecting wet and dry grass, mulching • Up to 50% reduced energy consumption at the same cutting performance • Cable anti-kink • Cable guide »Flick-Flack®« • Bail engine control • Bag full indicator • Replacement blade 200 Cuts/Sec.		
Optional extras					
Spare part	Vi 34 XB/ WG742-04341	Vi 37 XB/ WG742-04342	Vi 40 XB/ WG742-04343		

Petrol-mowers					
					
Order-Code	BluePower 40	BluePower 40 A	BluePower 48 HW	BluePower 48 A HW	BluePower 53 A HW
Barcode					
Article-No.	11A-I45A650	12A-I45A650	11A-129J650	12A129J650	12A1869L650
Cutting width	40 cm	40 cm	48 cm	48 cm	53 cm
Engine	- BluePower OHV-engine - Rated power: 2,4 kW (3,3 hp) 	- BluePower OHV-engine - Rated power: 2,4 kW (3,3 hp) 	- BluePower OHV-engine - Rated power: 3,0 kW (4,0 hp) 	- BluePower OHV-engine - Rated power: 3,0 kW (4,0 hp) 	- BluePower OHV-engine - Rated power: 3,3 kW (4,5 hp) 
Chassis	Steel	Steel	Steel	Steel	Steel
Noise-level	96 dB(A)	96 dB(A)	96 dB(A)	96 dB(A)	98 dB(A)
Cutting height adjustment	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm
Wheels	Ball bearings	Ball bearings	Ball bearings	Ball bearings	Ball bearings
Grass-collector bag	Grass bag: 55 l	Grass bag: 55 l	Grass bag: 75 l	Grass bag: 75 l	Grass bag: 80 l
Description	- Weight: 27 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Plant Protection System - Incl. Mulchkit	- Weight: 28 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Plant Protection System 1 gear speed: 3,5 km/h - Incl. Mulchkit	- Weight: 30 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Plant Protection System - Highwheels - Incl. Mulchkit	- Weight: 39 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Highwheels - Plant Protection System - Vario drive : 2 - 5 km/h - Incl. Mulchkit	- Weight: 44 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Highwheels - Plant Protection System - Vario drive : 2 - 5 km/h - Incl. Mulchkit
Optional extras	4-stroke oil Vo-4 T 4180 092	4-stroke oil Vo-4 T 4180 092	4-stroke oil Vo-4 T 4180 092	4-stroke oil Vo-4 T 4180 092	4-stroke oil Vo-4 T 4180 092
Spare part	Vi 40 H/ WG742-04315	Vi 40 H/ WG742-04315	Vi 48 H/ WG742-04018A	Vi 48 H/ WG742-04018A	Vi 53 H/ WG742-0828



LAWN-MOWERS Petrol-mowers, Lawn tractors

Petrol-mowers		
		
Order-Code	BluePower 48 A HW ES	BluePower 53 A HW ES
Barcode	 4 009269 303613	 4 009269 303637
Article-No.	12AJ129K650	12AJ869M650
Cutting width	48 cm	53 cm
Engine	- BluePower OHV-engine - Rated power: 3,0 kW (4,0 hp) 	- BluePower OHV-engine - Rated power: 3,3 kW (4,5 hp) 
Chassis	Steel	Steel
Noise-level	96 dB(A)	98 dB(A)
Cutting height adjustment	Central 6 settings 2,5 - 9,0 cm	Central 6 settings 2,5 - 9,0 cm
Wheels	Ball bearings	Ball bearings
Grass bag bag	Grass bag: 75 l	Grass bag: 80 l
Description	- Weight: 44 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Highwheels - Plant Protection System - Self-propelled vario speed: 2-5 km/h - Electric start - Incl. Mulchkit	- Weight: 45 kg - With BluePower monitor maintenance display for less emissions and fuel consumption - Bag full indicator - Foldable handle - Highwheels - Plant Protection System - Self-propelled vario speed: 2-5 km/h - Electric start - Incl. Mulchkit
Optional extras	4-stroke oil Vo-4 T 4180 092	4-stroke oil Vo-4 T 4180 092
Spare part	Vi 48 H/ WG742-04018A	Vi 53 H/ WG742-0828

That's what you call service

All petrol models are fitted with a service interval display. The BluePower monitor registers the hours worked by measuring the motor vibrations and reminds the user to keep to the service intervals by showing symbols on the display. You can find extensive information about the BluePower monitor system at a separate Internet domain:

www.bluepower-monitor.com



BluePower monitor on petrol lawn-mower



BluePower monitor on the BluePower lawn tractor



Lawn tractors					
					
Order-Code	BluePower 92.160 H	BluePower 105.200 H	BluePower 96.160 H	BluePower 107.200 H	
Barcode	 4 009269 303835	 4 009269 303842	 4 009269 303859	 4 009269 303866	
Article-No.	13RT71RE650	13RT71RN650	13TT79RF650	13TT79RG650	
Cutting width	92 cm	105 cm	96 cm	107 cm	
Engine	• BluePower OHV-engine (2 cylinder) • Rated power: 11,2 kW (15,2 hp) 	• BluePower OHV-engine (2 cylinder) • Rated power: 12,0 kW (16,3 hp) 	• BluePower OHV-engine (2 cylinder) • Rated power: 11,9 kW (16,0 hp) 	• BluePower OHV-engine (2 cylinder) • Rated power: 12,5 kW (17,0 hp) 	
Transmission	Hydrostatic transmission	Hydrostatic transmission	Hydrostatic transmission	Hydrostatic transmission	
Noise-level	100 dB(A)	100 dB(A)	100 dB(A)	100 dB(A)	
Cutting height adjustment	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	5 settings 3,0 - 9,5 cm	
Turning radius	46 cm	46 cm	46 cm	46 cm	
Grass-collector bag	Grass bag: 240 l	Grass bag: 240 l	optional	optional	
Description	• Weight: 195 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • LED Front headlights • Adjustable ergonomic seat with high back • Soft grip steering wheel • BluePower monitor • Front bumper • Integrated deflector	• Weight: 198 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • LED Front headlights • Adjustable ergonomic seat with high back • Soft grip steering wheel • BluePower monitor • Front bumper • Integrated deflector	• Weight: 150 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • LED Front headlights • Adjustable ergonomic seat with high back • Soft grip steering wheel • BluePower monitor • Front bumper • Integrated deflector	• Weight: 175 kg • Side discharge • Pivoting front axle • Floating deck • Turf saving tyres • Step-through frames for easy mounting and dismounting • LED Front headlights • Adjustable ergonomic seat with high back • Soft grip steering wheel • BluePower monitor • Front bumper • Integrated deflector	
Optional extras	• Deflector optional 196-750-678	• Deflector optional 196-750-678			
Spare part					



5

All accessories at a glance!

1  Dump cart Loading capacity: 227 kg	2  Dump cart Loading capacity: 227 kg	3  Dump cart Loading capacity: 680 kg	4  Centrifugal spreader Filling volume: 40 kg	5  Centrifugal spreader Filling volume: 45 kg
6  Box spreader Filling volume: 80 kg	7  Spreader + aerator	8  Lawn roller Width: 61 cm	9  Lawn roller Width: 91 cm	10  Spiker
11  Dethatcher	12  Sprayer trailer Filling capacity: 57l	13  Sprayer trailer Filling capacity: 57l: 95 l	14  Lawn sweeper Width: 96 cm	15  Lawn sweeper Width: 107 cm




Not just a lawn tractor ...

WOLF-Garten lawn tractors can be used for many applications - because these large grass cutters can be turned into garden all-rounders with the right accessories. Show your customers the large range of accessory articles.

With the right accessories, the lawn tractors can become snow clearers, lawn sweepers or can be used as transport devices or spreaders for seed and fertiliser in just a few minutes.

	Designation	Art. No.	Description		Designation	Art. No.	Description
1	Dump cart	190-223C000	Loading capacity: 227 kg	13	Sprayer trailer	190-537-000	Filling capacity: 95 l
2	Dump cart	190-236A000	Loading capacity: 227 kg	14	Lawn sweeper	190-145B000	Width: 96 cm
3	Dump cart	190-425A000	Loading capacity: 680 kg	15	Lawn sweeper	190-163-000	Width: 107 cm
4	Centrifugal spreader	196-031-000	Loading capacity: 39 kg	16	Deflector	196-750-678	For all rear dischargers (except 76 cm)
5	Centrifugal spreader	190-525-000	Loading capacity: 45 kg	17	Mulch kit rear dischargers	196-749-678	For all rear dischargers (except 76 cm)
6	Box spreader	196-036-000	Loading capacity: 80 kg	18	Mulch kit rear dischargers	OEM-190-116	For all side dischargers
7	Spreader + aerator	196-033-000	–	19	Front bumper	OEM-196A603	–
8	Lawn roller	190-228-000	Width: 61 cm	20	Snow chains	196-898-699	for 18 x 9.5 tyres
9	Lawn roller	190-229-000	Width: 92 cm	21	Snow chains	196-658-699	for 20 x 8.0 tyres
10	Spiker	190-224A000	–	22	Dozer blade	OEM-190-833	Width: 117 cm
11	Dethatcher	190-526-000	–	23	Battery charger	196-967-678	–
12	Sprayer trailer	190-155-000	Filling capacity: 57 l				

5





 **On your mark,
get set, go!**



It doesn't get any simpler
than this!

Never has it been easier to
start a petrol engine mower
using a cable pull than with
the Quantum engines from
Briggs & Stratton.

ReadyStart™ is the answer
– the carburettor is conti-
nually supplied with the
right mix of petrol without
the operator having to
activate a primer or choke.
There is a reduced risk of
choking the engine and
charring the spark plug.

5

POWER EDITION

 **P is for power - powerful partners for
perfectly-cut lawns**

WOLF-Garten offers you and your customers an extensive range dealing with all aspects of perfect, professional garden care. Garden fans throughout Europe have been profiting from the experience, the high quality requirements and the innovative force in the traditional company for over 80 years. Make your valuable customer bonding by simply passing on the WOLF-Garten brand's know-how to your customers.

 **Triplex-System®**

Mowing faster, better, cleaner!

Our patented Triplex System® guarantees the absolute filling of the collecting bag, even in case of dry, wet and/or high grass. During mowing, the clippings are sucked in by a heavy flow of air. This circulation is created by the rotation movement of the precision blades.



 **High performance – in the garden as
well as in your market!**

Mowing must be very simple without reducing the performance and quality. The Power Edition range combines both. Due to the numerous useful product features, lawn mowing becomes a pleasure for your customers.

All the equipment features at a glance:

- Console handle with frame switch and Bowden cable management
- Central cutting height adjustment
- Soft grip
- Ergonomic and sturdy operating elements
- Ball-bearing wheels
- Large collection bag with eilling bag full indicator
- Powerful electric motors and petrol engines



**Power
Edition**

Electric-mowers



Order-Code

**WOLF-Garten
Compact plus
Power Edition 34 E**

**WOLF-Garten
Compact plus
Power Edition 37 E**

**WOLF-Garten
Compact plus
Power Edition 40 E-1**

**WOLF-Garten
Compact plus
Power Edition 40 EA-1**

Barcode



Article-No.

4924 000

4927 000

4980 000

4985 080

Cutting width

34 cm

37 cm

40 cm

40 cm

Engine

230 V / 1.400 Watt

230 V / 1.500 Watt

230 V / 1.600 Watt

230 V / 1.600 Watt

Chassis

High-quality plastic

High-quality plastic

High-quality plastic

High-quality plastic

Noise-level

87 dB(A)

89 dB(A)

94 dB(A)

94 dB(A)

Cutting height
adjustment

Central 5 settings
2,0 - 6,0 cm

Central 5 settings
2,0 - 6,0 cm

Central 5 settings
2,5 - 8,0 cm

Central 5 settings
2,5 - 8,0 cm

Wheels

Ball bearings

Ball bearings

Ball bearings

Ball bearings

Grass-collector
bag

Grass bag: 35 l

Grass bag: 35 l

Grass bag: 55 l

Grass bag: 55 l

Description

- Weight: 15 kg
- »4 in 1«: cutting and collecting of wet, dry and high grass, integrated mulching system
- Height adjustment of handle
- Cable anti-kink
- Softgrip
- Softwheels
- Bag full indicator
- Cable guide »Flick-Flack®«

- Weight: 16 kg
- »4 in 1«: cutting and collecting of wet, dry and high grass, integrated mulching system
- Height adjustment of handle
- Cable anti-kink
- Softgrip
- Softwheels
- Bag full indicator
- Cable guide »Flick-Flack®«

- Weight: 25 kg
- »4 in 1«: cutting and collecting of wet, dry and high grass, integrated mulching system
- Height adjustment of handle
- Cable anti-kink
- Softgrip
- Softwheels
- Bag full indicator
- Cable guide »Flick-Flack®«

- Weight: 26 kg
- »4 in 1«: cutting and collecting of wet, dry and high grass, integrated mulching system
- Height adjustment of handle
- Cable anti-kink
- Softgrip
- Softwheels
- Bag full indicator
- Cable guide »Flick-Flack®«
- Wheel drive:
1 gear,
3.5 km/h

Optional extras

Spare part

Vi 34 FM / 4904 095

Vi 37 FM / 4907 095

Vi 40 FM / 4970 095

Vi 40 FM / 4970 095

CCM-SYSTEM

CUT | COLLECT | MULCH



Your customers remain flexible:
Regarding all models of the WOLF-Garten Compact plus line you choose between cutting, collecting or mulching.

The CCM-system enables an integration of all functions in just one piece of equipment. The design is timeless, the technology innovative.

The advantages of mulching are obvious: It saves time and money, because your customers do not need to care for emptying the collection bag nor for disposal of clippings. Moreover, the clippings provide the lawn with moisture and valuable nutrients.

5



CUT/COLLECT

The lawn is mowed and the clippings are collected in the grassbag.



MULCH

The lawn is mowed, the clippings are finely shredded and deposited back onto the lawn.



LAWN-MOWERS Petrol-mowers

Petrol-mowers 		  			
Order-Code	WOLF-Garten Power Edition 42 QR	WOLF-Garten Power Edition 42 QRA	WOLF-Garten Power Edition 48 QR	WOLF-Garten Power Edition 48 QRA	WOLF-Garten Power Edition 53 QRA
Barcode	 4 009269 423205	 4 009269 423502	 4 009269 423304	 4 009269 423618	 4 009269 423700
Article-No.	4232 000	4235 000	4233 000	4236 000	4237 000
Cutting width	42 cm	42 cm	48 cm	48 cm	53 cm
Engine	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4-Stroke-ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)
					
Chassis	Steel	Steel	Steel	Steel	Steel
Noise-level	96 dB(A)	96 dB(A)	96 dB(A)	96 dB(A)	98 dB(A)
Cutting height adjustment	Central 8 settings 3,0 - 6,5 cm	Central 8 settings 3,0 - 6,5 cm	Central 8 settings 3,0 - 6,5 cm	Central 8 settings 3,0 - 6,5 cm	Central 7 settings 3,5 - 7,5 cm
Wheels	Ball bearings	Ball bearings	Ball bearings	Ball bearings	Ball bearings
Grass-collector bag	Grass bag: 55 l	Grass bag: 55 l	Grass bag: 65 l	Grass bag: 65 l	Grass bag: 65 l
Description	• Weight: 29 kg • Softgrip • Foldable handle • Bag full indicator 				
Optional extras	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092
Spare part	Vi 42 S / 4212 095	Vi 42 S / 4212 095	Vi 48 S / 4218 095	Vi 48 S / 4218 095	Vi 53 S / 4223 095

Petrol-mowers					
Order-Code	WOLF-Garten Power Edition 40 B	WOLF-Garten Power Edition 40 BA	WOLF-Garten Power Edition 46 B	WOLF-Garten Power Edition 46 BA	
Barcode					
Article-No.	4052 000	4058 000	4652 000	4658 000	
Cutting width	40 cm	40 cm	46 cm	46 cm	
Engine	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4-Stroke-ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	• 4 stroke ReadyStart-engine • Rated power: 2,4 kW (3,3 hp)	
Chassis	High-quality plastic	High-quality plastic	High-quality plastic	High-quality plastic	
Noise-level	96 dB(A)	96 dB(A)	96 dB(A)	96 dB(A)	
Cutting height adjustment	Central 5 settings 2,5 - 7,2 cm	Central 5 settings 2,5 - 7,2 cm	Central 5 settings 2,5 - 7,2 cm	Central 5 settings 2,5 - 7,2 cm	
Wheels	Ball bearings	Ball bearings	Ball bearings	Ball bearings	
Grass-collector bag	Grass bag: 55 l	Grass bag: 55 l	Grass bag: 55 l	Grass bag: 55 l	
Description	• Weight: 27 kg. • Height adjustment of handle. • Soft grip. • Soft wheels. • Folding handlebar. • Bag full indicator. • Cutter bar with replacement blade • Incl. mulch kit MK 40, 4011 070	• Weight: 28 kg. • Height adjustment of handle. • Softgrip • Softreifen • Folding handlebar. • Bag full indicator. • Cutter bar with replacement blade • Incl. mulch kit MK 40, 4011 070 • Self-propelled vario speed 2,5 - 5 km/h.	• Weight: 30 kg • Height adjustment of handle • Softgrip • Softwheels • Foldable handle • Bag full indicator • Cutter bar with replacement blade • Incl. mulch kit MK 46, 4611 070	• Weight: 31 kg. • Height adjustment of handle. • Softgrip • Softreifen • Folding handlebar. • Bag full indicator. • Cutter bar with replacement blade • Incl. mulch kit MK 46, 4611 070 • Self-propelled vario speed 2,5 - 5 km/h.	
Optional extras	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	• 4-stroke oil Vo-4 T 4180 092	
Spare part	Vi 40 W / 4001 092	Vi 40 W / 4001 092	Vi 46 W / 4601 090	Vi 46 W / 4601 090	



LAWN-MOWERS Battery-mowers, Reel-mowers

Battery-mowers			
			
Order-Code	WOLF-Garten LI-ION POWER 34	WOLF-Garten LI-ION POWER 37	WOLF-Garten LI-ION POWER 40
Barcode	 4 009269 491907	 4 009269 493703	 4 009269 492904
Article-No.	4919 000	4937 000	4929 000
Cutting width	34 cm	37 cm	40 cm
Battery system	• 72 V/ 1,45 Ah • Exchangeable battery system with Lithium-Ion battery	• 108 V/ 1,45 Ah • Exchangeable battery system with Lithium-Ion battery	• 108 V/ 1,45 Ah • Exchangeable battery system with Lithium-Ion battery
Chassis	High-quality plastic	High-quality plastic	High-quality plastic
Noise-level	89 dB(A)	89 dB(A)	94 dB(A)
Cutting height adjustment	Central 5 settings 2,0 - 6,0 cm	Central 5 settings 2,0 - 6,0 cm	Central 5 settings 2,0 - 6,0 cm
Wheels	Nylon bearings	Nylon bearings	Ball bearings
Grass-collector bag	Grass bag: 35 l	Grass bag: 35 l	Grass bag: 55 l
Weight	Weight: 13 kg	Weight: 15 kg	Weight: 22 kg
Description	 • Lithium-Ion technology • Exchangeable battery system. • Fast charging system, charging time 5 hours • Cutting area performance: up to 250 m² per battery pack. • Foldable handle with cable anti-kink • Height adjustment of handle • Bag full indicator	• Lithium-Ion technology • Exchangeable battery system. • Loading time: 6 h • Cutting area performance: up to 250 m² per battery pack • Foldable handle with cable anti-kink; Softgrip • Height adjustment of handle • Bag full indicator • »4 in 1«: cutting, collecting wet and dry grass, mulching	• Lithium-Ion technology • Exchangeable battery system. • Loading time: 6 h • Cutting area performance: up to 250 m² per battery pack • Foldable handle with cable anti-kink; Softgrip • Height adjustment of handle • Bag full indicator • »4 in 1«: cutting, collecting wet and dry grass, mulching
Optional extras	• LI-ION POWER Pack 2 4919 090	• LI-ION POWER Pack 1 4939 090	• LI-ION POWER Pack 1 4939 090
Spare part	Vi 34 X/ 4908 095	Vi 37 A/ 4939 095	Vi 40 A/ 4949 095

One idea, one system, more and more possibilities

All LI-ION POWER products have a virtually unlimited runtime thanks to the modern rechargeable battery system from WOLF-Garten:

- The battery pack can be exchanged with speed and ease
- One battery pack is suited to various tools
- The tools are always ready for use if you have an extra replacement battery



Of all battery packs overview:

Battery-Pack 1

› 108 V/1,45 Ah exchangeable Lithium-Ion battery for all lawn-mowers

Battery-Pack 2

› 72 V/1,45 Ah exchangeable Lithium-Ion battery for battery-lawn-mower LI-ION POWER 34

Battery-Pack 3

› 18 V/1,3 Ah exchangeable Lithium-Ion battery for hedge-shears LI-ION POWER HSA 45 V and trimmer LI-ION POWER GT 815

Battery-Pack 4

› 3,6 V/1,1 Ah exchangeable Lithium-Ion battery for motorised battery-shears LI-ION POWER RR 3000

**LI-ION
POWER** 

Reel-mowers					
					
Order-Code	WOLF-Garten TT 300 S	WOLF-Garten TT 350 S	WOLF-Garten TT 380 DL		
Barcode	 4 009269 362108	 4 009269 362214	 4 009269 362306		
Article-No.	3621 000	3622 000	3623 000		
Cutting width	30 cm	35 cm	38 cm		
Chassis	Steel	Steel	Steel/Aluminium		
Noise-level					
Cutting height adjustment	4 settings 1,3 - 3,8 cm	4 settings 1,3 - 3,8 cm	4 settings 1,3 - 3,8 cm		
Wheels	Nylon bearings	Nylon bearings	Ball bearings		
Grass-collector bag	FS 320 (Optinal extras)	FS 350 (Optinal extras)	FS 380 (Optinal extras)		
Description	• Weight: 7 kg • Blade system: 5 contact knives • For lawns up to 150 m²	• Weight: 8 kg • Blade system: 5 contact knives • For lawns up to 150 m²	• Weight: 9 kg • Blade system: contactless knives • For lawns up to 150 m²		
Optional extras	• Grass bag FS 320 3621 065	• Grass bag FS 350 3622 065	• Grass bag FS 380 3623 065		
Spare part					



- Scarifiers
- Trimmers
- Brushcutters



Lawn care



❖ Lawn cosmetics - a job for the power brushcutters

Low emissions and quiet with minimal fuel consumption! WOLF-Garten power brushcutters are the environmentally friendly lawn care option. Handy and powerful – suitable for trimming lawn edges, bed borders and caring for small to medium lawns, clearing out under trees and hedges or even cutting knotty bushes.

In addition to the 4 types introduced last year, WOLF-Garten is now offering an additional brushcutter with a 2-stroke engine this year. The WOLF-Garten range is well worth a look when used with the appropriate accessories - and it's good for your sales!

❖ An Overview of selling points:

- Line spool can be quickly changed using the Speed Feed System
- Relaxed working thanks to anti-vibration handle
- Use 50 % less petrol and up to 80 % less oil than similar 2-stroke engines, resulting in considerably lower emissions
- Accessories are very easy to replace thanks to practical connector
- The innovative »Drill & Start« kit is included in the scope of delivery as an accessory
- »Drill & Start« allows the engine to be started with an electric starter



❖ Spring and autumn is scarifier time!

If your customers' lawns are to remain green and dense, they will need appropriate care. The extensive range of fertiliser and seed tools from WOLF-Garten will help with this work (from page 78). However, it's important not to forget the scarifier business.

It's especially important in spring and autumn to remind your customers that scarifying plays an important role in the resistance, density and green colour of the lawn. The WOLF-Garten scarifier is supplied with an electric motor up to 34 cm working width and with a petrol engine up to 40 cm working width.

WOLF-Garten scarifiers are ideal for use in the rental business thanks to their extensive fittings.



❖ »Advanced Starting Technology«

- The 4-stroke engine is easily started using a cable pull
- The starting process is aided by a spring
- The engine starts up automatically when you slowly and evenly pull the start cable



❖ »Drill & Start«

The innovative »Drill & Start«-Kit allows the engine to be started with an electric starter and is included in the scope of delivery as an accessory



❖ Optional extras

Add accessories to extend the range of application of your brushcutters


- Hedge shears
- Chainsaws
- Blower
- Cultivators



LAWN CARE Electric-scarifiers, Petrol-scarifiers

Electric-scarifiers					
					
Order-Code	UV 29 EV Electric-scarifiers	UV 30 EV Electric-scarifiers	UV 32 EV Electric-scarifiers	UV 34 E Electric-scarifiers	Campus 1000 V Electric-scarifiers
Barcode	 4 009269 361811	 4 009269 363068	 4 009269 363242	 4 009269 363464	 4 009269 602105
Article-No.	3618 000	3630 680	3632 680	3634 680	6021 000
Working width	30 cm	30 cm	32 cm	34 cm	30 cm
Engine	230 V / 800 W	230 V / 1.100 W	230 V / 1.300 W	230 V / 1.600 W	230 V / 1.100 W
Chassis	High-quality plastic	High-quality plastic	High-quality plastic	High-quality plastic	High-quality plastic
Noise-level	96 dB(A)	90 dB(A)	91 dB(A)	91 dB(A)	105 dB(A)
Cutting height adjustment	Central, 5 settings	Infinitely adjustable	Infinitely adjustable	Infinitely adjustable	Central, 3 settings
Wheels	Nylon bearings	Nylon bearings	Ball bearings	Ball bearings	Nylon bearings
Grass-collector bag	TK 30 (Optional extra)	TK-VV (Optional extra)	TK-VV (Optional extra)	TK-VV (Optional extra)	Incl. Grass-collector bag
6 Description	• Weight: 11 kg. • Blade system: 18 blades (9 double-blades) • Transport position • 2-part handlebar • Antikink • Strain relief cable	• Weight: 18 kg • Blade system: 18 blades (9 double-blades) • Transport position • 2-part handlebar • Antikink • Strain relief cable • Bail arm switch	• Weight: 20 kg. • Blade system: 32 blades (16 double-blades) • Transport position • Foldable handlebar • Antikink • Cable guide: »Flick-Flack« • Bail arm switch	• Weight: 22 kg. • Blade system: 32 blades (16 double-blades) • Transport position • Foldable handlebar • Antikink. • Cable guide: »Flick-Flack« • Bail arm switch • Softgrip • Softwheels • Stone-chipping protection out of steel	• Weight: 13 kg • Blade system: 20 blades (10 double-blades) • Transport position • Foldable handlebar • Strain relief cable • Incl. Grass-collector bag • Minimum order quantity 4, (on pallet).
Optional extras	• Grass-collector bag TK 30 3618 065	• Grass-collector bag TK-VV 3632 090	• Grass-collector bag TK-VV 3632 090	• Grass-collector bag TK-VV 3632 090	• Grass-collector bag TK 35 6020 065
Spare-part		UV-EV / 3568 091	UV-EV / 3568 091	UV-EV / 3568 091	


Petrol-scarifiers			
			
Order-Code	UV 35 B Petrol-scarifier	UV 4000 B Petrol-scarifier	UV 40 B Petrol-scarifier
Barcode	 4 009269 363501	 4 009269 363907	 4 009269 364102
Article-No.	3635 000	3639 000	3641 000
Working width	35 cm	40 cm	40 cm
Engine	• 4-stroke-engine • Rated power: 2,4 kW (3,3 hp) 	• 4-stroke-engine • Rated power: 2,2 kW (3,0 hp)	• 4-stroke-engine • Rated power: 2,4 kW (3,3 hp) 
Chassis	Steel/High-quality plastic	Steel	Steel/High-quality plastic
Noise-level	96 dB(A)	98 dB(A)	96 dB(A)
Cutting height adjustment	Infinitely adjustable	Infinitely adjustable	Infinitely adjustable
Wheels	Ball bearings	Nylon bearings	Ball bearings
Grass-collector bag	TK 40 (Optional extra)	TK 55 (Optional extra)	TK 40 (Optional extra)
Description	• Weight: 35 kg. • Blade system: 30 blades, (15 double-blades), 14 double-springs • Transport position • 2-part handlebar • Foldable handlebar • Comfort wheels	• Weight: 31 kg. • Blade system: 21 blades, • Transport position • 2-part handlebar • Foldable handlebar	• Weight: 36 kg. • Blade system: 34 blades, (17 double-blades), • Transport position • 2-part handlebar • Foldable handlebar • Softgrip • Comfort wheels
Optional extras	• Grass-collector bag TK 40 3635 065 • 4 stroke oil Vo-4 T 4180 092	• Grass-collector bag TK 55 3639 065 • 4 stroke oil Vo-4 T 4180 092	• Grass-collector bag TK 40 3635 065 • 4 stroke oil Vo-4 T 4180 092
Spare-part	UV-EV 40 / 3640 095 UV-EFF 40 / 3640 096		UV-EV 40 / 3640 095 UV-EFF 40 / 3640 096



Before

Thorough moss removal!

The scarifiers from WOLF-Garten free lawns on any size from annoying lawn thatch. When the moss and fungi are removed, the grass roots will be optimally supplied again with oxygen and water.




WOLF-Garten offers its customers in this year, a professional technology in the scarifier range that makes lawn care easy. The lawn is gently but completely freed from lawn thatch via the integrated aeration.

The benefits of scarifying at a glance:

- Ugly lawn thatch is removed
- Nutrients and water can directly reach and supply the grass roots
- Optimal aeration is possible
- Side shoots are stimulated and provide for a dense and luscious green

Afterwards





LAWN CARE Trimmers, Brushcutters

Trimmers					
					
Order-Code	GT 840 Grass-trimmer	GT 845 Grass-trimmer	GT 850 Grass-trimmer	LI-ION POWER GT 815 Battery-trimmer	Campus 250 RT Grass-trimmer
Barcode	 4 009269 713009	 4 009269 713504	 4 009269 713603	 4 009269 713443	 4 009269 607001
Article-No.	7130 000	7135 000	7136 000	7134 880	6070 000
Packaging unit	2	2	2	2	24
Engine	400 W	450 W	500 W	18 V / 1,3 Ah	250 W
Weight	1,9 kg	2,2 kg	2,3 kg	2,0 kg	1,5 kg
Line feed	Automatic	Automatic	Automatic	Tap feed	Tap feed
Cutting system	Single-line system	Twin-line system	Twin-line system	Single-line system	Twin-line system
Description	- Line spool length: 15 m - Line diameter: 1,6 mm - Cutting width: 23 cm - Second adjustable hand grip - Trim & Edge function - Silently and low vibration - Working handle adjustment - Telescopic handle - Coil can easily be changed	- Line spool length: 2 x 6 m - Line diameter: 1,6 mm - Cutting width: 25 cm - Second adjustable hand grip - Trim & Edge function - Silently and low vibration - Working handle adjustment - Telescopic handle. - Coil can easily be changed - Softgrip - Wheels	- Line spool length: 2 x 6 m - Line diameter: 1,6 mm - Cutting width: 27 cm - Second adjustable hand grip - Trim & Edge function - Silently and low vibration - Working handle adjustment - Telescopic handle - Coil can easily be changed - Softgrip - Wheels - Plant protection bracket	- Line spool length: 5 m - Line diameter: 1,4 mm - Cutting width: 23 cm - Second adjustable hand grip - Trim & Edge function - Silently and low vibration - Working handle adjustment - Telescopic handle - Coil can easily be changed - Softgrip - Wheels - Plant protection bracket - Accu 18 V / 1,3 Ah. - Rechargeable battery system with Lithium-Ion battery - Fast charging system, charging time only 2 hours. - Running time 30 min	- Line spool length: 2 x 3 m - Line diameter: 1,2 mm - Cutting width: 25 cm - Second adjustable hand grip Minimum order quantity 24, (on pallet).
Optional extras	GT-R 7136 081			LI-ION POWER Pack 3 7420 090	
Spare-part	GT-F 7 / 7130 080	GT-F 8 / 7136 080	GT-F 8 / 7136 080	RQ-FA / 7117 095	GT-RT / 6070 095

Brushcutters					
					
Order-Code	GT-S 800 Electric-brushcutter	GT-S 1000 Electric-brushcutter	GT-S 2-31 Petrol-brushcutter	BluePower GT-S 4-29 Petrol-brushcutter	BluePower GT-S 4-29 DL Petrol-brushcutter
Barcode					
Article-No.	7151 000	7152 000	41HD79MC650	7155 000	7156 000
Packaging unit	1	1	1	1	1
Engine	800 W	1.000 W	2-stroke-engine	4-stroke-engine	4-stroke-engine
Weight	6,0 kg	6,2 kg	7,0 kg	6,7 kg	7,4 kg
Line feed	Tap feed	Tap feed	Tap feed	Tap feed	Tap feed
Cutting system	Twin-line system	Twin-line system	Twin-line system	Twin-line system	Twin-line system
Description	• Line spool length: 2,5 m • Line diameter: 2,4 mm • Cutting width: 38 cm • Separable shaft. • Bevel gears • Anti-vibration handle • Incl. shoulder strap • Incl. goggles and ear protection	• Line spool length: 2,5 m • Line diameter: 2,4 mm • Cutting width: 38 cm • Separable shaft. • Bevel gears • Anti-vibration handle • Incl. shoulder strap »De Luxe« • Incl. goggles and ear protection • Incl. blade (GF-M)	• Line spool length: 2,5 m • Line diameter: 2,4 mm • Cutting width: 46 cm • Separable shaft • Bevel gears • Anti-vibration handle • Engine displacement: 31 ccm • Rated power: 0,8 kW (1,1 PS) • Catalyst • Speed Feed System • Incl. »Drill & Start«-Kit • Incl. shoulder strap • Incl. goggles and ear protection.	• Line spool length: 2,5 m • Line diameter: 2,4 mm • Cutting width: 46 cm • Separable shaft. • Bevel gears • Anti-vibration handle • Engine displacement: 29 ccm • Incl. Drill & Start kit • Incl. shoulder strap • Incl. goggles and ear protection	• Line spool length: 2,5 m • Line diameter: 2,4 mm • Cutting width: 46 cm • Separable shaft. • Bevel gears • Anti-vibration handle • Engine displacement: 29 ccm • Incl. Drill & Start kit • Incl. shoulder strap »De Luxe« • Incl. goggles and ear protection • Incl. blade (GF-M)
Optional extras					
Spare-part	GT-F 24 / 7152 090	GT-F 24 / 7152 090 GT-ME / 7152 092	GT-F 24 / 7152 090	GT-F 24 / 7152 090	GT-F 24 / 7152 090 GT-MB / 7156 092

Seeds & Fertilizer



- Preparing a new lawn
- Lawn regeneration
- Lawn care
- Garden cart
- Spreaders



... From nature for nature !

The new WOLF-Garten BioActive uses the forces of nature for the cultivation and care of healthy, vital and perfect green. Because WOLF-Garten is the first and only German manufacturer who offers a comprehensive seed mixture and fertilizer range with natural phyto-active ingredients, which activate the defense and vital forces of the plants successfully and sustainably. BioActive is a successful development of the WOLF-Garten turf research, which has already been tried and tested in long-term studies and by professional users such as greenkeepers and landscape gardeners.

The natural active plant tonic in WOLF-Garten BioActive:

- Increases healthy growth and the formation of root mass
- Improves the resistance of the lawn to drought, heat and cold
- Fortifies the defensive forces against pests and fungal diseases and decay
- Increases the vitality, resilience and quality of lawns



... A lush green lawn in 24 hours!

From now on the fertilizer comes out of the bottle, reacts in 24 hours and produces a luscious green. This extraordinary innovation from WOLF-

Garten is the ideal solution for every lawn that is optically damaged.

And for you this means being able to sell a fast moving item with absolute unique value. The benefit is immediately comprehensible and quickly obvious. Your customers will benefit from the rapid reaction of Turbo lawn green, for example just before a garden party or barbecue.

It also works quickly for stress-damaged lawns or for lawns that have suffered from drought or too short mowings. As a low-price article in the 1 litre bottle for 100 m² Turbo lawn green will look after your turnover.

And it functions so easily:

- Connect the 1 litre bottle of Turbo lawn green directly to the hose. (Matches all conventional systems).
- Turn on the water tap - switch to „On“ and start
- You only need three minutes for the fertilization of a lawn area of 100 m².



... Help for self help!

The revolutionary success of WOLF-Garten BioActive lawn seeds is due to the bacterium „Pseudomonas proradix“. This microorganism that is also used in the food and beverage production forms a „protective zone“ around the roots of the plant, activates the defences of the plant and optimises the nutrient uptake.



Moreover, WOLF-Garten Bio-Active lawn seeds is especially fast germinating.

The natural germination catalyst is responsible for this feature. The active ingredients extracted from seaweed ensure the germination capacity even under unfavourable conditions and accelerate this process by up to 30 %. The unique reaction of WOLF-Garten BioActive lawn fertilizer is a result of its naturally gained extracts from the seeds of the campion (Lychnis viscaria), which have an optimising effect on the defence mechanisms of the grass plants. The increasing of the plant resistance is therefore naturally achieved. Comparable with a vaccination, the existing defence characteristics are



permanently stimulated.





SEEDS & FERTILIZER Preparing a new lawn

PREPARING A NEW LAWN

Premium-Lawn »Shade & Sun« Dense and green lawns for highest requirements



Order-Code	LP 10	LP 25	LP 50	LP 100	LP 200
Barcode	 4 009269 382014	 4 009269 382021	 4 009269 382038	 4 009269 382045	 4 009269 382056
Contents	for 10 m ²	For 25 m ²	for 50 m ²	for 100 m ²	for 200 m ²
Article-No.	3820 010	3820 020	3820 030	3820 040	3820 050
Packaging unit	20	8	8	3	2
Packaging	plastic bag	box	box	box	box
Description	Contains the only lawn-seed, which permanently gets along with shade and sun • Lawn density: approx. 100.000 sprouts per m². • 30 % faster germination. Shade tolerance especially high. • Very resistant to wear, extremely dense, and sturdy lawn. • 40 % less clippings compared to cheap seeds. • Exclusively by WOLF-Garten: BioActive • Improves the growth of roots and the resistance to drought, heat and cold. • Vitality, resilience and quality of lawn will be increased.			LP 50/CEE*	LP 100/CEE*
				 4 009269 385329	 4 009269 385237
				for 50 m ²	for 100 m ²
				3820 936	3820 946
				8 x LP 50/CEE	3 x LP 50/CEE
				box	box
				without BioActive	without BioActive

PREPARING A NEW LAWN

Hard-wearing Lawn Lawn subject to heavy wear and tear



7

Order-Code	LJ 10	LJ 25	LJ 50	LJ 100	LJ 200
Barcode	 4 009269 382052	 4 009269 382069	 4 009269 382076	 4 009269 382083	 4 009269 382090
Contents	for 10 m ²	for 25 m ²	for 50 m ²	for 100 m ²	for 200 m ²
Article-No.	3821 010	3821 020	3821 030	3821 040	3821 050
Packaging unit	20	8	8	3	2
Packaging	plastic bag	box	box	box	box
Description	Our best hard-wearing lawn • Lawn density: approx. 80.000 sprouts per m². • 30 % faster germination • Very resistant to wear and extremely resilient • Permanently tough • 40 % less clippings amount compared to cheap seeds • Exclusively by WOLF-Garten: BioActive • Improves the growth of roots and the resistance to drought, heat and cold • Vitality, resilience and quality of lawn will be increased			LJ 50/CEE*	LJ 100/CEE*
				 4 009269 385336	 4 009269 385251
				for 50 m ²	for 100 m ²
				3821 936	3821 946
				8 x LJ 50/CEE	3 x LJ 50/CEE
				box	box
				without BioActive	without BioActive

PREPARING A NEW LAWN

Leisure lawn → Allround leisure lawn suitable for all soils



Order-Code	LF 10	LF 25	LF 50	LF 100	LF 200
Barcode	 4 009269 381994	 4 009269 382281	 4 009269 382243	 4 009269 382106	 4 009269 382311
Contents	for 10 m ²	for 25 m ²	for 50 m ²	for 100 m ²	for 200 m ²
Article-No.	3822 003	3822 007	3822 009	3822 010	3822 020
Packaging unit	20	8	8	3	2
Packaging	plastic bag	box	box	box	box
					Promotions
Description Ideal to play on for the whole family • Lawn density: approx. 70.000 sprouts per m² • 30 % faster germination thanks to KEIM-FIX • Hard-wearing • For intensive use • Low risk of weeding • 30 % less clippings compared to cheap seeds					P 575
					 4 009269 377119
					for 200 m ²
					3733 775
					22 x LF 200 B
					1/4-pallet

PREPARING A NEW LAWN

Sport and leisure lawn → Resilient lawn for leisure activities suitable for all soils



PROMOTION

Order-Code	P 336	P 339	P 582	LG 125	LG 500
Barcode	 4 009269 374583	 4 009269 374347	 4 009269 377195	 4 009269 382793	 4 009269 385886
Contents	for 125 m ²	for 250 m ²	for 500 m ²	for 125 m ²	for 500 m ²
Article-No.	3732 736	3732 739	3733 782	3825 020	3825 040
Packaging unit	72 x LG 125	36 x LG 250	20 x LG 500	8	2
Packaging	plastic bag	plastic bag	plastic bag	plastic bag	plastic bag
Floor space requirement	1/2-pallet	1/2-pallet	1/2-pallet		P 465/CEE*
Description Very suitable for hard-wearing lawns • Quickly usable and tread-resistant • Hard-wearing • This seed mixture meets all requirements in relation to heavy-duty and low-maintenance lawns • It germinates quickly, is resilient and grows on all types of garden soil • Brand quality at a promotion price					 4 009269 375504
					for 500 m ²
					3733 665
					20 x LG-R 500/CEE
					1/2-pallet



SEEDS & FERTILIZER Preparing a new lawn, Lawn regeneration

PREPARING A NEW LAWN

Lawn-Starter-Fertilizer For a new lawn



Order-Code	LH 25	LH 50	LH 100	LH-MU 100/CEE*	
Barcode	 4 009269 383011	 4 009269 383028	 4 009269 383035	 4 009269 385299	
Contents	for 25 m ²	for 50 m ²	for 100 m ²	for 100 m ²	
Article-No.	3833 010	3833 020	3833 030	3834 936	
Packaging unit	8	7	6	5	
Packaging	box	box	box	box	
				without BioActive	
Description	Lawn-Starter-Fertilizer is therefore specially prepared for the fast, strong initial growth of the young grass plants • Encourages grass to grow densely and green up quickly. • Quickly usable lawn due to up to 50 % faster closure of the new lawn sod. • With high proportion of phosphorus for stronger root development and densely and equal growth. • 18 % nitrogen, 20 % phosphate, 10 % potassium. Exclusively by WOLF-Garten: BioActive → Improves the growth of roots and the resistance to drought, heat and cold → Vitality, resilience and quality of lawn will be increased				

LAWN REGENERATION

Set: »Turbo«-reseed plus special lawn soil Fast repair system »2 in 1«



7


Order-Code	L-RE 10 Spot				
Barcode	 4 009269 387521				
Contents	for 10 m ²				
Article-No.	3837 010				
Packaging unit	4				
Packaging	box				
Description	For the particularly fast repair of small damages in the lawn • Extremely tough and dense. Incl. high-quality special lawn soil • Protects seeds against bird depredation • Natural water reservoir from volcanic stone • Fine grain for optimal sowing, without clods • 200 g seeds and 3 ltr. soil for approx. 10 m² Exclusively by WOLF-Garten: BioActive → Improves the growth of roots and the resistance to drought, heat and cold → Vitality, resilience and quality of lawn will be increased				

LAWN REGENERATION »Turbo Reseeding« »High-quality mixture for reseedling of thin lawn



Order-Code	LR 10 NEW	LR 25	LR 50	LR 100	P 525 (20 % FREE)
Barcode	 4 009269 362610	 4 009269 385428	 4 009269 385435	 4 009269 385442	 4 009269 376112
Contents	for 10 m ²	for 25 m ²	for 50 m ²	for 100 m ²	for 120 m ²
Article-No.	3826 010	3826 020	3826 030	3826 040	3733 725
Packaging unit	20	8	8	3	20 x LR 120
Packaging	plastic bag	box	box	box	bucket
Floor space requirement					1/4-pallet
Description	High-quality mixture for reseedling of thin lawn and repair of bald areas in the lawn • 30 % faster germination, 20 % more germinating plants • Safe germination and consistent sowing • Ideal after scarifying as well • Few clipping • Extremely resilient and dense • Exclusively by WOLF-Garten: BioActive » Improves the growth of roots and the resistance to drought, heat and cold » Vitality, resilience and quality of lawn will be increased				

LAWN REGENERATION Set: Premium lawn plus regeneration fertilizer »Premium lawn without digging within just six weeks



Order-Code	L 50 S	L 100 S	L 200 S		
Barcode	 4 009269 381017	 4 009269 381024	 4 009269 381031		
Contents	for 50 m ²	for 100 m ²	for 200 m ²		
Article-No.	3810 010	3810 020	3810 030		
Packaging unit	4	3	1		
Packaging	box	box	box		
Description	2 in 1 repair system consisting of premium lawn and WOLF-Garten regenerative fertilizer • Coordinated components provide for an extremely dense, tough and shade-resistant lawn within six weeks only • Contains the only lawn seed which gets along permanently with shade and sun • Very resistant to wear, extremely dense, eliminates moss and weed • Lawn density: approx. 100.000 sprouts per m²; 30 % faster germination • 40 % less clippings amount compared to cheap seeds. • Shade tolerance: particularly high • Exclusively by WOLF-Garten: BioActive » Improves the growth of roots and the resistance to drought, heat and cold » Vitality, resilience and quality of lawn will be increased				



SEEDS & FERTILIZER Lawn regeneration, Lawn care

LAWN REGENERATION Set: Hard-wearing lawn plus regeneration fertilizer Lawn without digging within just six weeks



Order-Code	L 50 L	L 100 L	L 50 L/CEE*	L 100 L/CEE*	
Barcode	 4 009269 381055	 4 009269 381062	 4 009269 381208	 4 009269 381215	
Contents	for 50 m ²	for 100 m ²	for 50 m ²	for 100 m ²	
Article-No.	3811 020	3811 030	3811 936	3811 946	
Packaging unit	4	3	4	3	
Packaging	box	box	box	box	
				without BioActive	
Description	2 in 1 repair system consisting of premium lawn plus WOLF-Garten regenerative fertilizer • Coordinated components provide for an extremely dense, tough and shade-resistant lawn within six weeks only • Simple and reliable to use, ideal for hard-wearing lawns • Lawn density: approx. 80.000 sprouts per m²; 30 % faster germination • Very resistant to wear and extremely stress-resistant • 40 % less clippings compared to cheap seeds				
	• Exclusively by WOLF-Garten: BioActive  Improves the growth of roots and the resistance to drought, heat and cold  Vitality, resilience and quality of lawn will be increased				

LAWN REGENERATION Set: Leisure lawn plus regeneration fertilizer Leisure lawn without digging within just six weeks



7

Order-Code	L 100 FA				
Barcode	 4 009269 381185				
Contents	for 100 m ²				
Article-No.	3811 130				
Packaging unit	3				
Packaging	box				
Description	2 in 1 repair system consisting of leisure lawn and WOLF-Garten regenerative fertilizer • Coordinated components provide for a hardwearing and dense lawn within six weeks only • Suitable for repair or partly renewal • Lawn density: approx. 70.000 sprouts per m² • 30 % faster germination thanks to KEIM-FIX • Hard-wearing • 30 % less clippings compared to cheap seeds • Medium need for irrigation • Fertilizing recommendation: 2 – 3 x per year				

LAWN REGENERATION Lawn repair set → Renewal with system instead of mending



Order-Code	L 150 G	P 521		P 508/CEE*	
Barcode	 4 009269 375948	 4 009269 375979		 4 009269 375849	
Contents	for 150 m ²	for 150 m ²		for 50 m ²	
Article-No.	3825 075	3733 721		3733 708	
Packaging unit	2	20 x L 150 G		60 x L-RN 50/CEE	
Packaging	bucket	bucket		paper bag	
Floor space requirement		1/2-pallet		1/2-pallet	
Description	Suitable for repair in parts and for renewal of the whole lawn • Lawn density: approx. 70.000 sprouts per m² • Consisting of quality lawn-grass mixture and lawn starter fertilizer • Fast-germinating and resilient • Safe sowing thanks to special starter fertilizer • Suitable for all garden soils • Fertilizing recommendation: 2 – 3 x per year			High-quality mixture for reseeding of thin lawn and repair of bald areas in the lawn • Highly competitive against weeds • Safe germination and consistent sowing • Ideal after scarifying as well • Few clippings • Extremely resistant to wear and dense	

LAWN CARE Turbo Lawngreen → Naturally effective lawn fertilizer



Order-Code	T-RG 24	P 549			
Barcode	 4 009269 385817	 4 009269 376815			
Contents	1 L for 100 m ²	1 L for 100 m ²			
Article-No.	3838 010	3733 749			
Packaging unit	12 x T-RG 24	72 x T-RG 24			
Packaging	bottle incl. spraying attachment	bottle incl. spraying attachment			
Floor space requirement		1/4-Display			
Description	Naturally effective lawn fertilizer • The ideal solution for lawns subject to heavy wear and tear • Rapid reaction, within 24 hours • Ready to use - connect Turbo Lawngreen directly to your garden hose - matching for all conventional systems • Fertilizes lawn areas up to 100m² in only 3 minutes • Liquid fertilizer NPK 15-0-0 plus 1% iron				



SEEDS & FERTILIZER Lawn care

LAWN CARE


Lawn-»Dense«  The refreshing seed for a perfectly closed lawn



Order-Code	LR-D 50				
Barcode	 4 009269 387576				
Contents	for 50 m ²				
Article-No.	3826 830				
Packaging unit	8				
Packaging	box				
Description	Recommended as preservation sowing after scarifying • For refreshment of lawn with new grasses • 30 % faster germination • Tread resistant and particularly dense growing • Lawn density: approx. 70.000 sprouts /m² • Grows on all garden soils Exclusively by WOLF-Garten: BioActive • Improves the growth of roots and the resistance to drought, heat and cold • Vitality, resilience and quality of lawn will be increased				

LAWN CARE

Long-term lawn-fertilizer »Premium« 120 days  For a dense, healthy and vital lawn



7

Order-Code	LE 100	LE 250	P 419 (20% FREE)		
Barcode	 4 009269 383066	 4 009269 383073	 4 009269 375078		
Contents	for 100 m ²	for 250 m ²	for 300 m ²		
Article-No.	3830 020	3830 030	3733 619		
Packaging unit	6	4	24 x LE 300		
Packaging	box	bucket	bucket		
Floor space requirement			1/2-pallet		
Description	Exclusively by WOLF-Garten: BioActive • Supports a healthy growth of plants and sustains the root system • Improves the resistance to drought, heat and cold • Long-term effect of up to 120 days • Provides for a dense, healthy and resistant lawn instead of moss and weeds • Professional fertilizing, proven on golf courses and sports grounds • 26 % nitrogen, 5 % phosphor, 7 % potassium, 2 % magnesium, 1 % iron				

LAWN CARE
Long-term lawn-fertilizer 100 days → Long lasting effect for a healthy and dense lawn


Order-Code	LN 50	LN 100	LN 250	LN 500	P 587
Barcode	 4 009269 383103	 4 009269 383110	 4 009269 383127	 4 009269 383134	 4 009269 377379
Contents	for 50 m ²	for 100 m ²	for 250 m ²	for 500 m ²	for 250 m ²
Article-No.	3831 010	3831 020	3831 030	3831 040	3733 787
Packaging unit	7	6	4	2	24
Packaging	box	box	bucket	PE-bag	bucket
Floor space requirement					1/2-pallet
Description	Exclusively by WOLF-Garten: BioActive • Supports a healthy growth of plants and sustains the root system • Improves the resistance to drought, heat and cold • Long-term effect of up to 100 days • Ideal fertilizing with quick starter effect • Creates a dense, green and resistant lawn • 24 % nitrogen, 5 % phosphor, 5 % potassium				

LAWN CARE
Long-term lawn-fertilizer 70 days → Long lasting effect for a healthy and dense lawn



Order-Code	LX 50	LX 100	LX-A 300	P 281 (20 % FREE)	
Barcode	 4 009269 385015	 4 009269 383202	 4 009269 384902	 4 009269 374521	
Contents	for 50 m ²	for 100 m ²	for 300 m ²	for 300 m ²	
Article-No.	3832 010	3832 020	3832 035	3732 681	
Packaging unit	7	6	4	48 x LX-A 300	
Packaging	box	box	bucket	bucket	
Floor space requirement				Euro-pallet	
Description	Exclusively by WOLF-Garten: triple-phase active system • 1. Fast initial effect • 2. Continual supply of nutrients • 3. High long-term effect • Long-term effect of up to 70 days • Primary care with nutrients • 20 % nitrogen, 5 % phosphate, 8 % potassium, 3 % magnesium				



SEEDS & FERTILIZER Lawn care

LAWN CARE

Long-term lawn-fertilizer  High quality for special offer price



PROMOTION

Order-Code	P 570	P 571	P 572	P 574	P 579
Barcode	 4 009269 377058	 4 009269 377072	 4 009269 377089	 4 009269 377102	 4 009269 377157
Contents	for 150 m ²	for 300 m ²	for 450 m ²	for 750 m ²	for 750 m ²
Article-No.	3733 770	3733 771	3733 772	3733 774	3733 779
Packaging unit	70 x L-PF 150	75 x L-PF 300	50 x L-PF 450	30 x L-PF 750	30 x L-PF 750
Packaging	plastic bag	plastic bag	plastic bag	plastic bag	plastic bag
Floor space requirement	1/4-pallet	1/2-pallet	1/2-pallet	1/2-pallet	1/2-pallet
Description	Provides for a dense and healthy lawn with all important nutrients • Magnesium accelerates lawn greening • Appropriate lawn-nutrition for several months • Fertilizer NPK 24+3+6 • Excellent value for money				

LAWN CARE

Lawn-fertilizer 70 days  Guarantees the primary care with all nutrients



7

Order-Code	LX-MU 100/CEE*	LX -MU 250/CEE*	P 466/CEE*	P 490/CEE*	
Barcode	 4 009269 385305	 4 009269 385312	 4 009269 375511	 4 009269 375696	
Contents	For 100 m ²	For 250 m ²	For 800 m ²	For 300 m ²	
Article-No.	3832 926	3832 936	3733 666	3733 690	
Packaging unit	7	6	20 x LX-MU 800/CEE	52 x LX-MU 300/CEE	
Packaging	box	box	paper bag	paper bag	
Floor space requirement			1/2-pallet	1/2-pallet	
Description	Exclusively by WOLF-Garten: triple-phase active system • 1. Fast initial effect • 2. Continual supply of nutrients • 3. High long-term effect • Long-term effect of up to 70 days • Primary care with nutrients • 20 % nitrogen, 5 % phosphate, 10 % potassium, 2 % magnesium				

LAWN CARE
Long-term lawn-fertilizer → Long lasting effect for a healthy and dense lawn


Order-Code	LN-MU 100/CEE*	LN-MU 250/CEE*			
Barcode	 4 009269 385343	 4 009269 385350			
Contents	For 100 m ²	For 250 m ²			
Article-No.	3831 926	3831 936			
Packaging unit	6	4			
Packaging	box	bucket			
Description	Exclusively of WOLF-Garten: triple-phase active system • 1. Fast initial effect • 2. Continual supply of nutrients • 3. High long-term effect • Long-term effect of up to 100 days • Healthy and dense lawn instead of moss and weeds • 25 % nitrogen, 5 % phosphor, 10 % potassium, 2 % magnesium				

LAWN CARE
Autumn-lawn-fertilizer → Healthy through the winter – Fit into the spring


Order-Code	LK-MU 100	P 596	P 597		
Barcode	 4 009269 385039	 4 009269 377799	 4 009269 377829		
Contents	for 100 m ²	for 100 m ²	for 250 m ²		
Article-No.	3835 020	3733 796	3733 797		
Packaging unit	12 x LK-MU 100	36 x LK-MU 100	20 x LK-MU 250		
Packaging	box	box	bucket		
Floor space requirement		1/4-pallet	1/4-pallet		
Description	Potassium accented lawn fertilizer for use in autumn • NK Fertilizer with magnesium 19 + 19 (+2) • Takes the lawn healthy and vital through the winter • Improves the resistance of the lawn • Reduces the diseases and frost susceptibility • Long-term effect until spring				



Small cart with a big impact!



centrally-located axle for simple tipping



space-saving storage



large wheels enable cross-country driving


The practical garden helper on two wheels!

Finally, a transport cart that takes the burden away from the user. The PORTAX 150 is the new garden cart from WOLF-Garten. This practical "mini dump truck" weighs just 12 kg and has a capacity of up to 150 litres or 50 kg.

The handy and lightweight garden cart PORTAX 150 transports garden waste of all kinds as well as fruit, vegetables or even firewood. The extra-large wheels and high manoeuvrability make pushing the cart practically effortless. Thanks to the centrally-positioned axle, the cart can be tipped without stooping in order to comfortably sweep in leaves or clippings.

As a clever detail, the PORTAX 150 has recesses for easily bringing along spades or rakes. When folded up, the PORTAX 150 can be stored in a corner or hung on the wall to save space.



Spreaders					
					
Order-Code	Portax 150 Garden cart	WE 330 Spreader	WE 430 Spreader »Perfekt«	WE-B Power Spreader	
Barcode	 4 009269 502108	 4 009269 542906	 4 009269 545006	 4 009269 545518	
Article-No.	5021 000	5429 000	5450 000	5455 000	
Packaging unit	6	6	1	6	
Suitable for		Seeds, Fertilizer, Sanding, etc.	Seeds, Fertilizer, Sanding, etc.	Seeds, Fertilizer, Sanding, etc.	
Description	• Container size: • Weight: 12 kg • Wheels: 260 mm • Material: plastic/fabric	• Spreading width: 41 cm. • Contents: 15 l.	• Spreading width: 43 cm. • Precision spreader. • Special wheels guarantee particularly smooth running. Safety when filling.	• Spreading at the touch of a button • Spreading width individually adjustable from 0,5 m to 2,50 m • High coverage up to 750 m².	
Garden-irrigation					
					
Order-Code	WS 80 Z Hose Reel Trolley »Maxi de Luxe«	WS 50 Z Hose Reel Trolley »galvanized			
Barcode	 4 009269 291422	 4 009269 291415			
Article-No..	5223 000	5222 000			
Packaging unit	1	1			
Application	1/2" 80 m ; 3/4" 50 m	1/2" 50 m ; 3/4" 30 m			
Description	• Quality: High-quality rust-resistant zinc-plated finish. • End fittings included.	• Quality: High-quality rust-resistant zinc-plated finish. • End fittings included.			


Optional extras & Spare parts



- Replacement blades & springs
- Battery packs
- Grass collector
- Nylon spool lines
- Optional extras battery-shears



Spare parts lawn-mowers 					
Order-Code	Vi 32 D NEW Replacement Blade	Vi 38 D NEW Replacement Blade	Vi 34C NEW Replacement Blade	Vi 38 C NEW Replacement Blade	Vi 42 C NEW Replacement Blade
Barcode	 4 009269 303880	 4 009269 304023	 4 009269 303897	 4 009269 303903	 4 009269 303910
Article-No.	WG742-04355	WG742-04359	WG742-04356	WG742-04357	WG742-04358
Packaging unit	2	2	2	2	2
For	SELECT 3200 E	SELECT 3800 E	AMBITION 34 E	AMBITION 38 E	AMBITION 42 E
Spare parts lawn-mowers 					
Order-Code	Vi 48 C NEW Replacement Blade	Vi 34 FM Replacement Blade	Vi 37 FM Replacement Blade	Vi 40 FM Replacement Blade	Vi 34 X Replacement Blade
Barcode	 4 009269 303927	 4 009269 490498	 4 009269 490795	 4 009269 497091	 4 009269 490894
Article-No.	WG742-0826	4904 095	4907 095	4970 095	4908 095
Packaging unit	2	2	2	2	2
For	AMBITION 48 E HW AMBITION 48 EA HW	2.34 E Compact plus 34 E Power Edition 34 E	2.37 E Compact plus 37 E Power Edition 37 E	Compact plus 40 E-1 Power Edition 40 E-1 Power Edition 40 EA-1	LI-ION POWER 34
Spare parts lawn-mowers 					
Order-Code	Vi 37 A Replacement Blade	Vi 40 A Replacement Blade	Vi 40 W Replacement Blade	Vi 46 W Replacement Blade	Vi-WM Multifunctional Blades
Barcode	 4 009269 493994	 4 009269 494991	 4 009269 400282	 4 009269 460170	 4 009269 461191
Article-No.	4939 095	4949 095	4001 092	4601 090	4611 095
Packaging unit	2	2	2	2	4
Description			Cutter bar and blades	Cutter bar and blades	Content: 1 pair with screws
For	LI-ION POWER 37 HYBRID POWER 37	2.40 E-1 LI-ION POWER 40 HYBRID POWER 40	Compact plus 40 B Power Edition 40 B/BA Power Edition 40 BAi	Esprit 46 E Esprit 46 EA Power Edition 46 B Power Edition 46 BA Power Edition 46 HA	All Esprit- and Power Edition models




SPARE PARTS Lawn mowers, Scarifiers

Spare parts lawn-mowers 						
Order-Code		Vi 42/52 Triplex-Replacement-Blades	Vi 42 S Replacement Blade	Vi 48 S Replacement Blade	Vi 53 S Replacement Blade	Vi 40 T NEW Replacement Blade
Barcode		 4 009269 634076	 4 009269 421294	 4 009269 421898	 4 009269 422390	 4 009269 303934
Article-No.		6340 090	4212 095	4218 095	4223 095	WG742-04111
Packaging unit		4	2	2	2	2
Description		Content: 1 pair with screws				
For		All mowers with 42/52 cm cutting width without battery (fixing with one screw).	2.42 B Power Edition 42 QR Power Edition 42 QRA	2.48 BA 2.48 A HW Power Edition 48 QR Power Edition 48 QRA	2.53 BA Power Edition 53 QRA	SELECT 4000
Spare parts lawn-mowers 						
Order-Code		Vi 46 T NEW Replacement Blade	Vi 53 T NEW Replacement Blade	Vi 40 H NEW Replacement Blade	Vi 48 H NEW Replacement Blade	Vi 53 H NEW Replacement blade
Barcode		 4 009269 303941	 4 009269 303958	 4 009269 303965	 4 009269 303972	 4 009269 304016
Article-No.		WG742-0738	WG742-0741A	WG742-04315	WG742-04018A	WG742-0828
Packaging unit		2	2	2	2	2
Description						
For		SELECT 4600 SELECT 4600 A	SELECT 5300 A	AMBITION 40 AMBITION 40 A BluePower 40 BluePower 40 A	AMBITION 48 HW AMBITION 48 A HW BluePower 48 BluePower 48 A BluePower 48 A HW ES	AMBITION 53 A HW BluePower 53 A HW BluePower 53 A HW ES
Spare parts lawn-mowers 						
Order-Code		Vi 34 XB NEW Replacement Blade	Vi 37 XB NEW Replacement Blade	Vi 40 XB NEW Replacement Blade	FS 320 Grass Collector	FS 350 Grass Collector
Barcode		 4 009269 303989	 4 009269 303996	 4 009269 304009	 4 009269 362160	 4 009269 362269
Article-No.		WG742-04341	WG742-04342	WG742-04343	3621 065	3622 065
Packaging unit		2	2	2	1	1
Description						
For		BluePower 34 E	BluePower 37 E	BluePower 40 E	TT 300 S Grass collector: 15 l	TT 350 S Grass collector: 20 l

Spare parts lawn-mowers 						
Order-Code		FS 380 Grass Collector	LI-ION POWER Pack 1 Exchangeable battery	LI-ION POWER Pack 2 Exchangeable battery	LI-ION POWER Pack 3 Exchangeable battery	LI-ION POWER Pack 4 Exchangeable battery
Barcode		 4 009269 362368	 4 009269 493987	 4 009269 491983	 4 009269 742092	 4 009269 726498
Article-No.		3623 065	4939 090	4919 090	7420 090	7264 090
Packaging unit		1	1	1	1	2
Description		Gras collector: 25 l	108 V / 1,45 Ah	72 V / 1,45 Ah	18 V / 1,45 Ah	7,4 V / 1,1 Ah
For		TT 380 DL	LI-ION POWER 37 LI-ION POWER 40	LI-ION POWER 34	LI-ION POWER GT 815, LI-ION POWER HSA 45 V	LI-ION POWER RR 3000

Spare parts scarifiers 						
Order-Code		UV-EV Replacement blades	UV-EFF 40 Replacement springs	UV-EV 40 Replacement blades	UV-EV 32 Replacement blades	
Barcode		 4 009269 356893	 4 009269 364096	 4 009269 364089	 4 009269 363389	
Article-No.		3568 091	3640 096	3640 095	3632 095	
Packaging unit		2	2	2	2	
Description		16 double-blades	16 double-blades	17 double-blades	17 double-blades	
For		UV 30 EV UV 32 EV UV 32 B UV 34 E	UV 35 B UV 40 H UV 40 B	UV 35 B UV 40 H UV 40 B	UV 32 EV UV 34 E (from year of manufacturing 12/06 until 08/07)	

Spare parts scarifiers 						
Order-Code		TK 35 Grass collector	TK 30 Grass Collector	TK 40 Grass Collector	TK-VV Grass Collector	TK 55 Grass Collector
Barcode		 4 009269 602068	 4 009269 361866	 4 009269 363563	 4 009269 363495	 4 009269 363969
Article-No.		6020 065	3618 065	3635 065	3632 090	3639 065
Packaging unit		1	1	1	1	1
Description		Grass collector: 45 l	Grass collector: 30 l	Grass collector: 60 l	Grass collector: 60 l	Grass collector: 60 l
For		Campus 300 V Campus 1000 V	UV 29 EV	UV 35 B UV 40 H UV 40 B	UV 30 EV UV 32 EV UV 34 E	UV 4000 B




SPARE PARTS Brushcutters, Trimmers, Battery-shears

Spare parts Brushcutters					
					
Order-Code	GT-F 24 Replacement Line	GT-ME Replacement blade	GT-MB Replacement blade		
Barcode	 4 009269 715287	 4 009269 715294	 4 009269 715690		
Article-No.	7152 090	7152 092	7156 092		
Packaging unit	10	3	3		
Description	- Line spool length: 12 m. - Line diameter: 2,4 mm.				
For	Brushcutter	GT-S 1000	BluePower GT-S 4-29 DL		
Spare parts Trimmers					
					
Order-Code	GT-F 7 Nylon Spool Line	GT-F 8 Nylon Spool Line	RQ-FA Nylon Spool Line	GT-RT Nylon Spool Line	
Barcode	 4 009269 713085	 4 009269 713689	 4 009269 791311	 4 009269 607094	
Article-No.	7130 080	7136 080	7117 095	6070 095	
Packaging unit	10	10	10	10	
Description	- Line spool length: 15 m. - Line diameter: 1,6 mm.	- Line spool length: 2 x 6 m - Line diameter: 1,6 mm.	- Line spool length: 5 m. - Line diameter: 1,4 mm.	- Line spool length: 2 x 3 m - Line diameter: 1,2 mm.	
For	GT 840	GT 845 GT 850	RQ 250 LI-ION POWER GT 815 GT 815 AC GT 830	Campus 250 RT	

					
Spare parts battery-shears					
					
Order-Code	Accu 8 EM Replacement Blade	Accu 10 EM Replacement Blade	Accu BS EM Replacement Blade	AC-TS Vario Handle	
Barcode	 4 009269 708432	 4 009269 708586	 4 009269 709583	 4 009269 709507	
Article-No.	7084 093	7085 093	7095 093	7095 000	
Packaging unit	4	4	4	4	
Description	• Cutting width: 80 mm	• Cutting width: 100 mm	• Cutting width: 170 mm		
For	All battery shears and hedge shears from year of manufacturing 2002 with cutting width 80 mm. (except Battery-shear LI-ION POWER FINESSE)	All battery shears and hedge shears from year of manufacturing 2002 with cutting width 100 mm. (except Battery-shear LI-ION POWER FINESSE)	All battery shears and hedge shears from year of manufacturing 2002 with cutting width 100 mm. (except Battery-shear LI-ION POWER FINESSE)	All battery shears and hedge shears from year of manufacturing 2002. (except Battery-shear LI-ION POWER FINESSE)	
					
Spare parts battery-shears					
					
Order-Code	Accu 50 EMR Replacement Blade	Accu 50 EMC Replacement Blade	Accu 50 EMB Replacement Blade	F 50 TS Vario Handle	
Barcode	 4 009269 726665	 4 009269 726788	 4 009269 726887	 4 009269 726689	
Article-No.	7266 093	7267 093	7268 093	7266 090	
Packaging unit	4	4	4	4	
Description	• Cutting width: 80 mm	• Cutting width: 60 mm	• Cutting width: 110 mm		
For	Battery-shears LI-ION POWER FINESSE 50 R	Battery-shears LI-ION POWER FINESSE 50 C	Battery-shears LI-ION POWER FINESSE 50 B	For all LI-ION POWER FINESSE battery-shears.	



PROMOTION multi-star®, Trimmers

Promotion							
Order-Code		P 567	P 556	P 566	P 559	P 560	
Barcode							
Article-No.		3733 767	3733 756	3733 766	3733 759	3733 760	
Bestückung		20 x UF-M/ZMi 15	20 x FK-M/ZMi 12	30 x FB-M/ZMi 15	10 x FB-M/ZMi 15	30 x FB-M/ FK-M/ZMi15	
Single Barcode		UF-M/ZMi 15: 4009269 154635	FK-M/ZMi 12: 4009269 131018	FB-M/ZMi 15: 4009269 273183	FB-M/ZMi 15: 4009269 273183	FB-M/FK-M/ZMi 15: 4009269 273190	
For		multi-star® garden tine rake + aluminium handle	multi-star® garden scraper + aluminium handle	multi-star® joint brush + aluminium handle	multi-star® joint brush + aluminium handle	multi-star® joint brush + garden scraper + aluminium handle	
Promotion							
Order-Code		P 569	P 568	P 485	P 507 GT 830 + RQ-FA	GT 830 + RQ-FA Trimmer	
Barcode							
Article-No.		3733 769	3733 768	3733 685	3733 707	7128 006	
Packaging unit		20 x BA-M/ DS-M 19/ZMi 15	20 x B 40 M/ZMi 15	10 x Ui-M/ZMi 15	15 x GT 830 + RQ-FA	5 x GT 830 + RQ-FA	
Engine					230 V / 280 W	230 V / 280 W	
Single Barcode		BA-M/DS-M 19/ ZMi 15: 4009269 131582	B 40 M/ZMi 15: 4009269 390408	Ui-M/ZMi 15: 4009269 355452	• Weight: 1,4 kg • Line feed: Tipp-Automatic • Cutting system: single-line system • Line spool lenght: 5 m • Line diameter: 1,4 mm • Cutting width: 23 cm		• Second adjustable hand grip • Trimm & Edge function • Silently and low vibration • Incl. second nylon spool line RQ-FA/7117 095
For		multi-star® grubber + tine rake + aluminium handle	multi-star® street brush + aluminium handle	multi-star® Leef Rake + aluminium handle			



WOLF-Garten – Passion & Competence

Text and photographs, specifications of dimensions and performance are composed with greatest care. The correctness of the information cannot be guaranteed, especially it is not guaranteed that the products comply with the images regarding technique, colour, form and equipment or that the products comply with the proportion of the images.
Amendments due to misprints or errors are reserved.

MTD Products AG · Geschäftsbereich WOLF-Garten · Industriestraße 23 · 66129 Saarbrücken-Bübingen
Telefon 06805 79-0 · www.WOLF-Garten.com